

Bibliografia

- Baudin-Creuzá, V. (2004). Transfer of human alpha- to beta-hemoglobin via its chaperone protein: evidence for a new state. *J Biol Chem* 279(35): 36530-36533.
- Bento, C. (2006). The use of capillary blood samples in a large scale screening approach for the detection of beta-thalassemia and hemoglobin variants. *Haematologica* 91(11): 1565.
- Brennan, S.O. (1981). Hemoglobin Brisbane: beta68 Leu replaced by His. A new high oxygen affinity variant. *Hemoglobin*. 5(4): 325-335.
- Bruno, S. (2001). High and low oxygen affinity conformations of T state hemoglobin. *Protein Science* 10: 2401–2407.
- Berg, J. M. (2008). *Biochimica*. Zanichelli.
- Clark, B. E. (2004). Molecular diagnosis of haemoglobin disorders. *Clin. Lab. Haem* 26: 159–176.
- Charache, S. (1987). Pseudosickling of hemoglobin Setif. *Blood*. 70(1): 237-242
- Fais, A. (2010). Structural and Functional Characterization of a New Double Variant Haemoglobin (HbG-Philadelphia/Duarte). *Biophys J*.89(2): 1203-1213.
- Favero, M. E. (2011). Alpha-Hemoglobin-Stabilizing Protein: An Erythroid Molecular Chaperone. *Biochemistry Research International*.
- Feng, L. (2004). Molecular mechanism of AHSP-mediated stabilization of alpha-hemoglobin. *Cell* 119(5): 629-640

Fischer, S. (2011). Unsuspected pathway of the allosteric transition in hemoglobin. Proc Natl Acad Sci U S A 108(14): 5608-5613

Fucharoen, S. (2009). Haemoglobinopathies in southeast Asia. Indian J Med Res. 134: 498-506

Garçon, L. (2010). A dyserythropoietic anemia associated with homozygous Hb Plasencia [α 125(H8)Leu→Arg (α 2)] (HBA2:c.377T>G), a variant with an unstable α chain. Hemoglobin 34(6): 576-581.

Gell, D. (2002). Biophysical characterization of the alpha-globin binding protein alpha-hemoglobin stabilizing protein. J Biol Chem. 277(43): 40602-40609.

Gell, D. A. (2009). A cis-proline in alpha-hemoglobin stabilizing protein directs the structural reorganization of alpha-hemoglobin. The Journal of Biological Chemistry 284: 29462-29469.

Giordano, P.C. (2007). The first case of Hb Groene Hart [α 119(H2)Pro-->Ser, CCT-->TCT (α 1)] homozygosity confirms that a thalassemia phenotype is associated with this abnormal hemoglobin variant. Hemoglobin. 31(2): 179-182.

Gobbi, M. D. (2007). Tissue-specific histone modification and transcription factor binding in alpha globin gene expression. Blood 110: 4503-4510.

Harteveld , C.L. (2010). Alpha-thalassaemia. Orphanet J Rare Dis. 28(5): 13.

Harteveld, C.L. (2005). Hb Oegstgeest [alpha104(G11)Cys-->Ser (alpha1)]. A new hemoglobin variant associated with a mild alpha-thalassemia phenotype. *Hemoglobin*. 29(3): 165-169

Kavanaugh, J.S. (2001). Site-directed mutations of human hemoglobin at residue 35beta: a residue at the intersection of the alpha1beta1, alpha1beta2, and alpha1alpha2 interfaces. *Protein Sci* 10(9): 1847-1855.

Kovalevsky, A. (2010). Protonation states of histidine and other key residues in deoxy normal human adult hemoglobin by neutron protein crystallography. *Biological Crystallography*, 1144–1152.

Kohne, E. (2011). Hemoglobinopathies: clinical manifestations, diagnosis, and treatment. *Dtsch Arztebl Int.* 108 (31-32): 532-540.

Kutlar, F., (2009), Hb M Dothan [beta 25/26 (B7/B8)/(GGT/GAG-->GAG//Gly/Glu-->Glu]; a new mechanism of unstable methemoglobin variant and molecular characteristics. *Blood Cells Mol Dis.* 43(3): 235-238.

Lukin, J.A. (2003). Quaternary structure of hemoglobin in solution. *Proc Natl Acad Sci U S A.* 100(2): 517-520.

Manca e Masala, 1992.

Manconi, B. (2010). A new β -chain haemoglobin variant with increased oxygen affinity: Hb Roma [β 115(g17)Ala→Val]. *Biochimica et Biophysica Acta.*, 327-335.

Marengo-Rowe, A. J. (2006). Structure-function relations of human hemoglobins.

Baylor University Medical Center Proceedings 19:239-245.

Martin, G. (2005). A novel mutation of the alpha2-globin causing alpha(+) -thalassemia:

Hb Plasencia [alpha125(H8)Leu--Arg (alpha2). Hemoglobin. 29(2): 113-117

McCormack, M. K. (1986). Normal production of the mutant hemoglobin in

heterozygotes for hemoglobin J-Paris and beta-thalassemia. Hemoglobin. 10(4):

427-432

Mollan, T. L. (2010). The Role of Alpha-Hemoglobin Stabilizing Protein in Redox

Chemistry, Denaturation, and Hemoglobin Assembly. Antioxidants and redox

signaling , 12: 219-231.

Moradkhani, K. (2009). Mutations in the paralogous human alpha-globin genes yielding

identical hemoglobin variants. Ann Hematol., 88(6): 535-543.

Morlé, F. (1995). A new alpha chain variant Hb Sallanches [alpha 2 104(G11) Cys--

>Tyr] associated with HbH disease in one homozygous patient. Br J Haematol.

91(3): 608-611

Muncie, H. L. (2009). Alpha and Beta Thalassemia. Am Fam Physician , 80: 339-34.

Nadkarni, H. (2010). Molecular diversity of hemoglobin H disease in India. Am J Clin

Pathol. 133(3): 491-494.

Nagatomo, S. (2005).

- Noble, RW. (2002). Correlation of protein functional properties in the crystal and in solution: the case study of T-statehemoglobin. Protein Sci. 11(7): 1845-1849.
- Olufeni, A.E. (2011). Hemoglobin F level in different hemoglobin variants. Korean J Hematol. 46(2): 118-122.
- Pellegrini M. (2011). Functional properties of the newly observed G γ -chain fetal hemoglobin variant Hb F-Monserrato-Sassari (HBG2:c.280TNC) or [G γ 93 (F9) Cys \rightarrow Arg]. Biochimica et Biophysica Acta, 1272-1277.
- Pittman RN. Regulation of tissue oxygenation. San Rafael (CA): Morgan and Claypool Life Sciences; 2011. Oxygen transport.
- Rahimi, Z. (2008). Molecular and hematologic analysis of hemoglobin Q-Iran and hemoglobin Setif in Iranian families. Arch Iran Med 11(4): 382-386
- Roy, P. (2009). Hb Sallanches [alpha104(G11)Cys \rightarrow Tyr, TGC>TAC] occurs frequently on the Indian subcontinent. Hemoglobin. 33(6): 486-491
- Rugless, M. J. (2008). A large deletion in the human α -globin cluster caused by a replication error is associated with an unexpectedly mild phenotype. Oxford Journal.
- Sarnaik, S.A., (2005), Thalassemia and related hemoglobinopathies. Indian J Pediatr. 72(4): 319-324.

Schay, G. (2006). Allosteric effectors influence the tetramer stability of both R- and T-states of hemoglobin A. *J Biol Chem.* 281 (36): 25972-25983.

Schechter, A. N. (2008). Hemoglobin research and the origins of molecular medicine. *Blood* 112: 3927-3938.

Shikama, K. (2003). Human haemoglobin: A new paradigm for oxygen binding involving two types of alphabeta contacts. *Eur. J. Biochem.* 270: 4041–4051.

Shimasaki, S. (1985). A new hemoglobin variant, hemoglobin Nunobiki [alpha 141 (HC3) Arg----Cys]. Notable influence of the carboxy-terminal cysteine upon various physico-chemical characteristics of hemoglobin. *J Clin Invest.* 75(2):695-701.

Suemasu, C. (2011). Characterization of alpha thalassemic genotypes by multiplex ligation-dependent probe amplification in the Brazilian population. *Braz J Med Biol Res* 44: 16-22.

Steinberg, M.H., Sickle cell anemia, the first molecular disease: overview of molecular etiology, pathophysiology, and therapeutic approaches. *ScientificWorld Journal* 25(8): 1295-1324.

Szolajska, E.(2011). Faithful chaperones. *Cellular and Molecular Life Sciences* 68(20): 3307-3322.

Tanaka, Y. (2005). A family with hemoglobin Hirosaki. *Int J Hematol.* 82(2):124-126

- Vasseur, C. (2009). The alpha-hemoglobin stabilizing protein and expression of unstable alpha-Hb variants. *Clin Biochem.* 42(18):1818-1823.
- Vernimmen, D. (2009). Chromosome looping at the human alpha-globin locus is mediated via the major upstream regulatory element (HS-40). *Blood* 114: 4253-4260.
- Vichinsky, E.P. (2009). Alpha thalassemia major--new mutations, intrauterine management, and outcomes. *Hematology Am Soc Hematol Educ Program.* 35-41.
- Voon, H. P. (2008). Controlling alpha-globin: a review of alpha-globin expression and its impact on beta-thalassemia. *Haematologica* 93: 1868-1876.
- Wajcman, H. (2008). Untable and thalassemic alpha chain hemoglobin variants: a cause of Hb H disease and thalassemia intermedia. *Hemoglobin* 32: 327–349.
- Wajcman, H. (2011). α-Hemoglobin stabilizing protein: a modulating factor in thalassemias? *Hemoglobin* 0: 1-6.
- Wajcman, H. (2011). Abnormal haemoglobins: detection & characterization. *Indian J Med Res* 134: 538-546.
- Wenning, M.R. (2000). Molecular characterization of hemoglobins Kurosaki [alpha₇ Lys-->Glu], G-Pest [alpha₇₄ Asp-->Asn], Stanleyville-II [alpha₇₈ Asn-->Lys] and J-Rovigo [alpha₅₃ Ala-->Asp]. *Acta Haematol.* 102 (4):203-205.

Wilber A. (2011). Transcriptional regulation of fetal to adult hemoglobin switching: new therapeutic opportunities. *Blood* 117(15): 3945-3953.

Weatherall, D. (2011). The inherited disorders of haemoglobin: an increasingly neglected global health burden. *Indian J Med Res.* 134: 493-497.

Wu, C. J. (2005), Evidence for ineffective erythropoiesis in severe sickle cell disease. *Blood* 106(10): 3639-3645

Zanella-Cleon I. (2008). Detection of a Thalassemic α -Chain Variant (Hemoglobin Groene Hart) by Reversed-Phase Liquid Chromatography. *Clinical Chemistry* 54(6): 1053-1059

Zwieten, R. (2009). Hb Nile[A1] and Hb Nile[A2]: novel identical [alpha77(EF6)Pro-->Ser] variants found in either the alpha1- or alpha2-globin genes. *Hemoglobin* 33(3): 188-195

Yokoyama, M. (1981). Clinical features and biochemical aspects of red blood cells in Hb Hirosaki. *Tohoku J Exp Med.* 133(2): 187-196.

Yu, X. (2009). Analysis of human alpha globin gene mutations that impair binding to the alpha hemoglobin stabilizing protein. *Blood* 113: 5961-5969.

