
Bibliografia

- Abd-El-Aleem S.A., Ferguson M.W., Appleton I., Kairsingh S., Jude E.B., Jones K., McCollum C.N. and Ireland G.W. (2000) Expression of nitric oxide synthase isoforms and arginase in normal human skin and chronic venous leg ulcers *J Pathol* **191**: 434-42.
- Abreu M.T., Arnold E.T., Thomas L.S., Gonsky R., Zhou Y., Hu B. and Arditi M. (2002) TLR4 and MD-2 expression is regulated by immune-mediated signals in human intestinal epithelial cells *J Biol Chem* **277**: 20431-7.
- Aderem A. and Ulevitch R.J. (2000) Toll-like receptors in the induction of the innate immune response *Nature* **406**: 782-7.
- Aiba S., Terunuma A., Manome H. and Tagami H. (1997) Dendritic cells differently respond to haptens and irritants by their production of cytokines and expression of co-stimulatory molecules *Eur J Immunol* **27**: 3031-8.
- Aiba S., Manome H., Yoshino Y. and Tagami H. (2000) In vitro treatment of human transforming growth factor-beta1-treated monocyte-derived dendritic cells with haptens can induce the phenotypic and functional changes similar to epidermal Langerhans cells in the initiation phase of allergic contact sensitivity reaction *Immunology* **101**: 68-75.
- Aiello S., Noris M., Piccinini G., Tomasoni S., Casiraghi F., Bonazzola S., Mister M., Sayegh M.H. and Remuzzi G. (2000) Thymic dendritic cells express inducible nitric oxide synthase and generate nitric oxide in response to self- and alloantigens *J Immunol* **164**: 4649-58.
- Akira S., Yamamoto M. and Takeda K. (2003) Role of adapters in Toll-like receptor signalling *Biochem Soc Trans* **31**: 637-42.
- Akiyama T. and Ogawara H. (1991) Use and specificity of genistein as inhibitor of protein-tyrosine kinases *Methods Enzymol* **201**: 362-70.
- Albanesi C., Scarponi C., Sebastiani S., Cavani A., Federici M., Sozzani S. and Girolomoni G. (2001) A cytokine-to-chemokine axis between T lymphocytes and keratinocytes can favor Th1 cell accumulation in chronic inflammatory skin diseases *J Leukoc Biol* **70**: 617-23.
- Albert M.L., Jegathesan M. and Darnell R.B. (2001) Dendritic cell maturation is required for the cross-tolerization of CD8⁺ T cells *Nat Immunol* **2**: 1010-7.
- Alderton W.K., Cooper C.E. and Knowles R.G. (2001) Nitric oxide synthases: structure, function and inhibition *Biochem J* **357**: 593-615.

- Allen R.G. and Tresini M. (2000) Oxidative stress and gene regulation *Free Radic Biol Med* **28**: 463-99.
- Al-Shami A. and Naccache P.H. (1999) Granulocyte-macrophage colony-stimulating factor-activated signaling pathways in human neutrophils. Involvement of Jak2 in the stimulation of phosphatidylinositol 3-kinase *J Biol Chem* **274**: 5333-8.
- Ammon C., Mondal K., Andreesen R. and Krause S.W. (2000) Differential expression of the transcription factor NF-kappaB during human mononuclear phagocyte differentiation to macrophages and dendritic cells *Biochem Biophys Res Commun* **268**: 99-105.
- An H., Yu Y., Zhang M., Xu H., Qi R., Yan X., Liu S., Wang W., Guo Z., Guo J., Qin Z. and Cao X. (2002) Involvement of ERK, p38 and NF-kappaB signal transduction in regulation of TLR2, TLR4 and TLR9 gene expression induced by lipopolysaccharide in mouse dendritic cells *Immunology* **106**: 38-45.
- Andreakos E., Smith C., Monaco C., Brennan F.M., Foxwell B.M. and Feldmann M. (2003) I kappa B kinase 2 but not NF-kappa B-inducing kinase is essential for effective DC antigen presentation in the allogeneic mixed lymphocyte reaction *Blood* **101**: 983-91.
- Andrew A.S., Klei L.R. and Barchowsky A. (2001) Nickel requires hypoxia-inducible factor-1 alpha, not redox signaling, to induce plasminogen activator inhibitor-1 *Am J Physiol Lung Cell Mol Physiol* **281**: L607-15.
- Ardeshtna K.M., Pizzey A.R., Devereux S. and Khwaja A. (2000) The PI3 kinase, p38 SAP kinase, and NF-kappaB signal transduction pathways are involved in the survival and maturation of lipopolysaccharide-stimulated human monocyte-derived dendritic cells *Blood* **96**: 1039-46.
- Arrighi J.F., Rebsamen M., Rousset F., Kindler V. and Hauser C. (2001) A critical role for p38 mitogen-activated protein kinase in the maturation of human blood-derived dendritic cells induced by lipopolysaccharide, TNF-alpha, and contact sensitizers *J Immunol* **166**: 3837-45.
- Austyn J.M. (1999) Death, destruction, danger and dendritic cells *Nat Med* **5**: 1232-3.
- Badger A.M., Cook M.N., Lark M.W., Newman-Tarr T.M., Swift B.A., Nelson A.H., Barone F.C. and Kumar S. (1998) SB 203580 inhibits p38 mitogen-activated protein kinase, nitric oxide production, and inducible nitric oxide synthase in bovine cartilage-derived chondrocytes *J Immunol* **161**: 467-73.
- Baltathakis I., Alcantara O. and Boldt D.H. (2001) Expression of different NF-kappaB pathway genes in dendritic cells (DCs) or macrophages assessed by gene expression profiling *J Cell Biochem* **83**: 281-90.
- Banchereau J. and Steinman R.M. (1998) Dendritic cells and the control of immunity *Nature* **392**: 245-52.

- Banchereau J., Pulendran B., Steinman R. and Palucka K. (2000) Will the making of plasmacytoid dendritic cells in vitro help unravel their mysteries? *J Exp Med* **192**: F39-44.
- Barchowsky A., Soucy N.V., O'Hara K.A., Hwa J., Noreault T.L. and Andrew A.S. (2002) A novel pathway for nickel-induced interleukin-8 expression *J Biol Chem* **277**: 24225-31.
- Basketter D.A., Balikie L., Dearman R.J., Kimber I., Ryan C.A., Gerberick G.F., Harvey P., Evans P., White I.R. and Rycroft R.J. (2000) Use of the local lymph node assay for the estimation of relative contact allergenic potency *Contact Dermatitis* **42**: 344-8.
- Basketter D.A., Evans P., Gerberick G.F. and Kimber I.A. (2002) Factors affecting thresholds in allergic contact dermatitis: safety and regulatory considerations *Contact Dermatitis* **47**: 1-6.
- Becker D., Valk E., Zahn S., Brand P. and Knop J. (2003) Coupling of contact sensitizers to thiol groups is a key event for the activation of monocytes and monocyte-derived dendritic cells *J Invest Dermatol* **120**: 233-8.
- Bell S., Degitz K., Quirling M., Jilg N., Page S. and Brand K. (2003) Involvement of NF-kappaB signalling in skin physiology and disease *Cell Signal* **15**: 1-7.
- Bhat N.R., Zhang P., Lee J.C. and Hogan E.L. (1998) Extracellular signal-regulated kinase and p38 subgroups of mitogen-activated protein kinases regulate inducible nitric oxide synthase and tumor necrosis factor-alpha gene expression in endotoxin-stimulated primary glial cultures *J Neurosci* **18**: 1633-41.
- Bhat N.R., Feinstein D.L., Shen Q. and Bhat A.N. (2002) p38 MAPK-mediated transcriptional activation of inducible nitric-oxide synthase in glial cells. Roles of nuclear factors, nuclear factor kappa B, cAMP response element-binding protein, CCAAT/enhancer-binding protein-beta, and activating transcription factor-2 *J Biol Chem* **277**: 29584-92.
- Bittorf T., Jaster R. and Brock J. (1994) Rapid activation of the MAP kinase pathway in hematopoietic cells by erythropoietin, granulocyte-macrophage colony-stimulating factor and interleukin-3 *Cell Signal* **6**: 305-11.
- Blauvelt A., Hwang S.T. and Udey M.C. (2003) 11. Allergic and immunologic diseases of the skin *J Allergy Clin Immunol* **111**: S560-70.
- Bogdan C. (2001) Nitric oxide and the immune response *Nat Immunol* **2**: 907-16.
- Bonham C.A., Lu L., Hoffman R.A., Simmons R.L. and Thomson A.W. (1997) Nitric oxide production by dendritic cells is associated with impairment of T cell responses *Transplant Proc* **29**: 1116-7.
- Bonham C.A., Peng L., Liang X., Chen Z., Wang L., Ma L., Hackstein H., Robbins P.D., Thomson A.W., Fung J.J., Qian S. and Lu L. (2002) Marked prolongation of cardiac allograft survival by dendritic cells genetically engineered with NF-kappa B

- oligodeoxyribonucleotide decoys and adenoviral vectors encoding CTLA4-Ig *J Immunol* **169**: 3382-91.
- Boonstra A., Asselin-Paturel C., Gilliet M., Crain C., Trinchieri G., Liu Y.J. and O'Garra A. (2003) Flexibility of mouse classical and plasmacytoid-derived dendritic cells in directing T helper type 1 and 2 cell development: dependency on antigen dose and differential toll-like receptor ligation *J Exp Med* **197**: 101-9.
- Bour H., Peyron E., Gaucherand M., Garrigue J.L., Desvignes C., Kaiserlian D., Revillard J.P. and Nicolas J.F. (1995) Major histocompatibility complex class I-restricted CD8⁺ T cells and class II-restricted CD4⁺ T cells, respectively, mediate and regulate contact sensitivity to dinitrofluorobenzene *Eur J Immunol* **25**: 3006-10.
- Bren G.D., Solan N.J., Miyoshi H., Pennington K.N., Pobst L.J. and Paya C.V. (2001) Transcription of the RelB gene is regulated by NF-kappaB *Oncogene* **20**: 7722-33.
- Brightbill H.D., Libraty D.H., Krutzik S.R., Yang R.B., Belisle J.T., Bleharski J.R., Maitland M., Norgard M.V., Plevy S.E., Smale S.T., Brennan P.J., Bloom B.R., Godowski P.J. and Modlin R.L. (1999) Host defense mechanisms triggered by microbial lipoproteins through toll-like receptors *Science* **285**: 732-6.
- Bruch-Gerharz D., Ruzicka T. and Kolb-Bachofen V. (1998) Nitric oxide in human skin: current status and future prospects *J Invest Dermatol* **110**: 1-7.
- Bryk R. and Wolff D.J. (1998) Mechanism of inducible nitric oxide synthase inactivation by aminoguanidine and L-N6-(1-iminoethyl)lysine *Biochemistry* **37**: 4844-52.
- Bull H.A., Hothersall J., Chowdhury N., Cohen J. and Dowd P.M. (1996) Neuropeptides induce release of nitric oxide from human dermal microvascular endothelial cells *J Invest Dermatol* **106**: 655-60.
- Burkly L., Hession C., Ogata L., Reilly C., Marconi L.A., Olson D., Tizard R., Cate R. and Lo D. (1995) Expression of relB is required for the development of thymic medulla and dendritic cells *Nature* **373**: 531-6.
- Buzard G.S. and Kasprzak K.S. (2000) Possible roles of nitric oxide and redox cell signaling in metal-induced toxicity and carcinogenesis: a review *J Environ Pathol Toxicol Oncol* **19**: 179-99.
- Carter A.B., Knudtson K.L., Monick M.M. and Hunninghake G.W. (1999) The p38 mitogen-activated protein kinase is required for NF-kappaB-dependent gene expression. The role of TATA-binding protein (TBP) *J Biol Chem* **274**: 30858-63.
- Caux C., Ait-Yahia S., Chemin K., de Bouteiller O., Dieu-Nosjean M.C., Homey B., Massacrier C., Vanbervliet B., Zlotnik A. and Vicari A. (2000) Dendritic cell biology and regulation of dendritic cell trafficking by chemokines *Springer Semin Immunopathol* **22**: 345-69.

- Cavani A., Mei D., Guerra E., Corinti S., Giani M., Pirrotta L., Puddu P. and Girolomoni G. (1998) Patients with allergic contact dermatitis to nickel and nonallergic individuals display different nickel-specific T cell responses. Evidence for the presence of effector CD8⁺ and regulatory CD4⁺ T cells *J Invest Dermatol* **111**: 621-8.
- Cavicchi M. and Whittle B.J. (1999) Regulation of induction of nitric oxide synthase and the inhibitory actions of dexamethasone in the human intestinal epithelial cell line, Caco-2: influence of cell differentiation *Br J Pharmacol* **128**: 705-15.
- Chapoval A.I., Tamada K. and Chen L. (2000) In vitro growth inhibition of a broad spectrum of tumor cell lines by activated human dendritic cells *Blood* **95**: 2346-51.
- Chen C.C., Wang J.K., Chen W.C. and Lin S.B. (1998) Protein kinase C eta mediates lipopolysaccharide-induced nitric-oxide synthase expression in primary astrocytes *J Biol Chem* **273**: 19424-30.
- Chen C., Chen Y.H. and Lin W.W. (1999 a) Involvement of p38 mitogen-activated protein kinase in lipopolysaccharide-induced iNOS and COX-2 expression in J774 macrophages *Immunology* **97**: 124-9.
- Chen C.C., Chiu K.T., Sun Y.T. and Chen W.C. (1999 b) Role of the cyclic AMP-protein kinase A pathway in lipopolysaccharide-induced nitric oxide synthase expression in RAW 264.7 macrophages. Involvement of cyclooxygenase-2 *J Biol Chem* **274**: 31559-64.
- Chen F.E. and Ghosh G. (1999) Regulation of DNA binding by Rel/NF-kappaB transcription factors: structural views *Oncogene* **18**: 6845-52.
- Chen C.C. and Wang J.K. (1999) p38 but not p44/42 mitogen-activated protein kinase is required for nitric oxide synthase induction mediated by lipopolysaccharide in RAW 264.7 macrophages *Mol Pharmacol* **55**: 481-8.
- Chen C.W., Chao Y., Chang Y.H., Hsu M.J. and Lin W.W. (2002 a) Inhibition of cytokine-induced JAK-STAT signalling pathways by an endonuclease inhibitor aurintricarboxylic acid *Br J Pharmacol* **137**: 1011-20.
- Chen Z., Gordon J.R., Zhang X. and Xiang J. (2002 b) Analysis of the gene expression profiles of immature versus mature bone marrow-derived dendritic cells using DNA arrays *Biochem Biophys Res Commun* **290**: 66-72.
- Chen F. and Shi X. (2002) Intracellular signal transduction of cells in response to carcinogenic metals *Crit Rev Oncol Hematol* **42**: 105-21.
- Cheng P., Zlobin A., Volgina V., Gottipati S., Osborne B., Simel E.J., Miele L. and Gaborilovich D.I. (2001) Notch-1 regulates NF-kappaB activity in hemopoietic progenitor cells *J Immunol* **167**: 4458-67.
- Chu S.C., Marks-Konczalik J., Wu H.P., Banks T.C. and Moss J. (1998) Analysis of the cytokine-stimulated human inducible nitric oxide synthase (iNOS) gene: characterization

Bibliografia

- of differences between human and mouse iNOS promoters *Biochem Biophys Res Commun* **248**: 871-8.
- Clark G.J., Gunningham S., Troy A., Vuckovic S. and Hart D.N. (1999) Expression of the RelB transcription factor correlates with the activation of human dendritic cells *Immunology* **98**: 189-96.
- Coates P.T.H., Colvin B.L., Hackstein, H. and Thomson, A.W. (2002) Manipulation of dendritic cells as an approach to improved outcomes in transplantation *Expert Rev in Mol Med* **18**: 1-21.
- Coleman J.W. (2001) Nitric oxide in immunity and inflammation *Int Immunopharmacol* **1**: 1397-406.
- Connelly L., Palacios-Callender M., Ameixa C., Moncada S. and Hobbs A.J. (2001) Biphasic regulation of NF-kappa B activity underlies the pro- and anti-inflammatory actions of nitric oxide *J Immunol* **166**: 3873-81.
- Corbett J.A. and McDaniel M.L. (1996) Selective inhibition of inducible nitric oxide synthase by aminoguanidine *Methods Enzymol* **268**: 398-408.
- Cowan D.B., Noria S., Stamm C., Garcia L.M., Poutias D.N., del Nido P.J. and McGowan F.X., Jr. (2001) Lipopolysaccharide internalization activates endotoxin-dependent signal transduction in cardiomyocytes *Circ Res* **88**: 491-8.
- Cruz M.T., Duarte C.B., Gonçalo M., Carvalho A.P. and Lopes M.C. (1999) Involvement of JAK2 and MAPK on type II nitric oxide synthase expression in skin-derived dendritic cells *Am J Physiol* **277**: C1050-7.
- Cruz M.T., Duarte C.B., Gonçalo M., Figueiredo A., Carvalho A.P. and Lopes M.C. (2001 a) Granulocyte-macrophage colony-stimulating factor activates the transcription of nuclear factor kappa B and induces the expression of nitric oxide synthase in a skin dendritic cell line *Immunol Cell Biol* **79**: 590-6.
- Cruz M.T., Duarte C.B., Gonçalo M., Carvalho A.P. and Lopes M.C. (2001 b) LPS induction of I κ B- α degradation and iNOS expression in a skin dendritic cell line is prevented by the Janus kinase 2 inhibitor, Tyrphostin B42 *Nitric oxide* **5**: 53-61.
- Cruz M.T., Gonçalo M., Figueiredo A., Carvalho A.P., Duarte C.B. and Lopes M.C. (2003) Contact sensitizer nickel sulfate activates the transcription factors NF-kB and AP-1 and increases the expression of nitric oxide synthase in a skin dendritic cell line *Exp Dermatol* **12**, 1-9.
- Cumberbatch M., Dearman R.J. and Kimber I. (1997) Interleukin 1 beta and the stimulation of Langerhans cell migration: comparisons with tumour necrosis factor alpha *Arch Dermatol Res* **289**: 277-84.

- Cumberbatch M., Dearman R.J., Griffiths C.E. and Kimber I. (2000) Langerhans cell migration *Clin Exp Dermatol* **25**: 413-8.
- Cumberbatch M., Dearman R.J., Groves R.W., Antonopoulos C. and Kimber I. (2002) Differential regulation of epidermal langerhans cell migration by interleukins (IL)-1alpha and IL-1beta during irritant- and allergen-induced cutaneous immune responses *Toxicol Appl Pharmacol* **182**: 126-35.
- Dalpke A.H., Frey M., Morath S., Hartung T. and Heeg K. (2002) Interaction of lipoteichoic acid and CpG-DNA during activation of innate immune cells *Immunobiology* **206**: 392-407.
- Datta S.K., Redecke V., Prilliman K.R., Takabayashi K., Corr M., Tallant T., DiDonato J., Dziarski R., Akira S., Schoenberger S.P. and Raz E. (2003) A subset of Toll-like receptor ligands induces cross-presentation by bone marrow-derived dendritic cells *J Immunol* **170**: 4102-10.
- Davoust J. and Banchereau J. (2000) Naked antigen-presenting molecules on dendritic cells *Nat Cell Biol* **2**: E46-8.
- de Jong E.C., Vieira P.L., Kalinski P., Schuitemaker J.H., Tanaka Y., Wierenga E.A., Yazdanbakhsh M. and Kapsenberg M.L. (2002) Microbial compounds selectively induce Th1 cell-promoting or Th2 cell-promoting dendritic cells in vitro with diverse th cell-polarizing signals *J Immunol* **168**: 1704-9.
- De Smedt T., Pajak B., Muraille E., Urbain J., Leo O. and Moser M. (1997) Positive and negative regulation of dendritic cell function by lipopolysaccharide in vivo *Adv Exp Med Biol* **417**: 535-40.
- De Smedt A.C., Van Den Heuvel R.L., Zwi Berneman N. and Schoeters G.E. (2001) Modulation of phenotype, cytokine production and stimulatory function of CD34⁺-derived DC by NiCl₂ and SDS *Toxicol In Vitro* **15**: 319-25.
- de Vera M.E., Shapiro R.A., Nussler A.K., Mudgett J.S., Simmons R.L., Morris S.M., Jr., Billiar T.R. and Geller D.A. (1996) Transcriptional regulation of human inducible nitric oxide synthase (NOS2) gene by cytokines: initial analysis of the human NOS2 promoter *Proc Natl Acad Sci U S A* **93**: 1054-9.
- Dearman R.J. and Kimber I. (1992) Divergent immune responses to respiratory and contact chemical allergens: antibody elicited by phthalic anhydride and oxazolone *Clin Exp Allergy* **22**: 241-50.
- Dell'Albani P., Santangelo R., Torrisi L., Nicoletti V.G., de Vellis J. and Giuffrida Stella A.M. (2001) JAK/STAT signaling pathway mediates cytokine-induced iNOS expression in primary astroglial cell cultures *J Neurosci Res* **65**: 417-24.
- Denkhaus E. and Salnikow K. (2002) Nickel essentiality, toxicity, and carcinogenicity *Crit Rev Oncol Hematol* **42**: 35-56.

Bibliografia

- Diaz-Guerra M.J., Castrillo A., Martin-Sanz P. and Bosca L. (1999) Negative regulation by phosphatidylinositol 3-kinase of inducible nitric oxide synthase expression in macrophages *J Immunol* **162**: 6184-90.
- Digicaylioglu M. and Lipton S.A. (2001) Erythropoietin-mediated neuroprotection involves cross-talk between Jak2 and NF-kappaB signalling cascades *Nature* **412**: 641-7.
- Dijkers P.F., van Dijk T.B., de Groot R.P., Raaijmakers J.A., Lammers J.W., Koenderman L. and Coffey P.J. (1999) Regulation and function of protein kinase B and MAP kinase activation by the IL-5/GM-CSF/IL-3 receptor *Oncogene* **18**: 3334-42.
- DiNapoli M.R., Calderon C.L. and Lopez D.M. (1997) Phosphatidyl serine is involved in the reduced rate of transcription of the inducible nitric oxide synthase gene in macrophages from tumor-bearing mice *J Immunol* **158**: 1810-7.
- Dudley D.T., Pang L., Decker S.J., Bridges A.J. and Saltiel A.R. (1995) A synthetic inhibitor of the mitogen-activated protein kinase cascade *Proc Natl Acad Sci U S A* **92**: 7686-9.
- Engering A., Geijtenbeek T.B., van Vliet S.J., Wijers M., van Liempt E., Demareux N., Lanzavecchia A., Fransen J., Figdor C.G., Piguet V. and van Kooyk Y. (2002) The dendritic cell-specific adhesion receptor DC-SIGN internalizes antigen for presentation to T cells *J Immunol* **168**: 2118-26.
- Figdor C.G., van Kooyk Y. and Adema G.J. (2002) C-type lectin receptors on dendritic cells and Langerhans cells *Nat Rev Immunol* **2**: 77-84.
- Flores-Romo L. (2001) In vivo maturation and migration of dendritic cells *Immunology* **102**: 255-62.
- Frank S., Kampfer H., Wetzler C., Stallmeyer B. and Pfeilschifter J. (2000) Large induction of the chemotactic cytokine RANTES during cutaneous wound repair: a regulatory role for nitric oxide in keratinocyte-derived RANTES expression *Biochem J* **347 Pt 1**: 265-73.
- Frey E.A., Miller D.S., Jahr T.G., Sundan A., Bazil V., Espevik T., Finlay B.B. and Wright S.D. (1992) Soluble CD14 participates in the response of cells to lipopolysaccharide *J Exp Med* **176**: 1665-71.
- Ganster R.W., Taylor B.S., Shao L. and Geller D.A. (2001) Complex regulation of human inducible nitric oxide synthase gene transcription by Stat 1 and NF-kappa B *Proc Natl Acad Sci U S A* **98**: 8638-43.
- Gao J., Morrison D.C., Parmely T.J., Russell S.W. and Murphy W.J. (1997) An interferon-gamma-activated site (GAS) is necessary for full expression of the mouse iNOS gene in response to interferon-gamma and lipopolysaccharide *J Biol Chem* **272**: 1226-30.
- Gao J., Filla M.B., Fultz M.J., Vogel S.N., Russell S.W. and Murphy W.J. (1998) Autocrine/paracrine IFN-alpha mediates the lipopolysaccharide-induced activation of

- transcription factor Stat1alpha in mouse macrophages: pivotal role of Stat1alpha in induction of the inducible nitric oxide synthase gene *J Immunol* **161**: 4803-10.
- Geijtenbeek T.B., Krooshoop D.J., Bleijs D.A., van Vliet S.J., van Duijnhoven G.C., Grabovsky V., Alon R., Figdor C.G. and van Kooyk Y. (2000 a) DC-SIGN-ICAM-2 interaction mediates dendritic cell trafficking *Nat Immunol* **1**: 353-7 .
- Geijtenbeek T.B., Torensma R., van Vliet S.J., van Duijnhoven G.C., Adema G.J., van Kooyk Y. and Figdor C.G. (2000 b) Identification of DC-SIGN, a novel dendritic cell-specific ICAM-3 receptor that supports primary immune responses *Cell* **100**: 575-85.
- Geijtenbeek T.B., Engering A. and Van Kooyk Y. (2002) DC-SIGN, a C-type lectin on dendritic cells that unveils many aspects of dendritic cell biology *J Leukoc Biol* **71**: 921-31.
- Geijtenbeek T.B., Van Vliet S.J., Koppel E.A., Sanchez-Hernandez M., Vandenbroucke-Grauls C.M., Appelmek B. and Van Kooyk Y. (2003) Mycobacteria target DC-SIGN to suppress dendritic cell function *J Exp Med* **197**: 7-17.
- Geissmann F., Dieu-Nosjean M.C., Dezutter C., Valladeau J., Kayal S., Leborgne M., Brousse N., Saeland S. and Davoust J. (2002) Accumulation of immature Langerhans cells in human lymph nodes draining chronically inflamed skin *J Exp Med* **196**: 417-30.
- Geller D.A., Nussler A.K., Di Silvio M., Lowenstein C.J., Shapiro R.A., Wang S.C., Simmons R.L. and Billiar T.R. (1993) Cytokines, endotoxin, and glucocorticoid regulates the expression of inducible nitric oxide synthase in hepatocytes *Proc Natl Acad Sci U S A* **90**: 522-26.
- Gerberick G.F., Robinson M.K., Ryan C.A., Dearman R.J., Kimber I., Basketter D.A., Wright Z. and Marks J.G. (2001) Contact allergenic potency: correlation of human and local lymph node assay data *Am J Contact Dermat* **12**: 156-61.
- Gerondakis S., Grossmann M., Nakamura Y., Pohl T. and Grumont R. (1999) Genetic approaches in mice to understand Rel/NF-kappaB and IkappaB function: transgenics and knockouts *Oncogene* **18**: 6888-95.
- Ghosh S. and Karin M. (2002) Missing pieces in the NF-kappaB puzzle *Cell* **109 Suppl**: S81-96.
- Giannoukakis N., Bonham C.A., Qian S., Chen Z., Peng L., Harnaha J., Li W., Thomson A.W., Fung J.J., Robbins P.D. and Lu L. (2000) Prolongation of cardiac allograft survival using dendritic cells treated with NF-kB decoy oligodeoxyribonucleotides *Mol Ther* **1**: 430-7.
- Girolomoni G., Lutz M.B., Pastore S., Assmann C.U., Cavani A. and Ricciardi-Castagnoli P. (1995) Establishment of a cell line with features of early dendritic cell precursors from fetal mouse skin *Eur J Immunol* **25**: 2163-9.
- Giulivi C. (2003) Characterization and function of mitochondrial nitric-oxide synthase *Free Radic Biol Med* **34**: 397-408.

Bibliografia

- Goebeler M., Roth J., Brocker E.B., Sorg C. and Schulze-Osthoff K. (1995) Activation of nuclear factor-kappa B and gene expression in human endothelial cells by the common haptens nickel and cobalt *J Immunol* **155**: 2459-67.
- Goebeler M., Gillitzer R., Kilian K., Utzel K., Brocker E.B., Rapp U.R. and Ludwig S. (2001) Multiple signaling pathways regulate NF-kappaB-dependent transcription of the monocyte chemoattractant protein-1 gene in primary endothelial cells *Blood* **97**: 46-55.
- Gordon S. (2002) Pattern recognition receptors: doubling up for the innate immune response *Cell* **111**: 927-30.
- Govindarajan B., Klafter R., Miller M.S., Mansur C., Mizesko M., Bai X., LaMontagne K., Jr. and Arbiser J.L. (2002) Reactive oxygen-induced carcinogenesis causes hypermethylation of p16(Ink4a) and activation of MAP kinase *Mol Med* **8**: 1-8.
- Grabbe S. and Schwarz T. (1998) Immunoregulatory mechanisms involved in elicitation of allergic contact hypersensitivity *Immunol Today* **19**: 37-44.
- Grabbe S., Kampgen E. and Schuler G. (2000) Dendritic cells: multi-lineal and multi-functional *Immunol Today* **21**: 431-3.
- Granucci F., Ferrero E., Foti M., Aggujaro D., Vettoretto K. and Ricciardi-Castagnoli P. (1999) Early events in dendritic cell maturation induced by LPS *Microbes Infect* **1**: 1079-84.
- Green L.C., Wagner D.A., Glogowski J., Skipper P.L., Wishnok J.S. and Tannenbaum S.R. (1982) Analysis of nitrate, nitrite, and [¹⁵N]nitrate in biological fluids *Anal Biochem* **126**: 131-8.
- Griffith O.W. and Stuehr D.J. (1995) Nitric oxide synthases: properties and catalytic mechanism *Annu Rev Physiol* **57**: 707-36.
- Grigoriadis G., Zhan Y., Grumont R.J., Metcalf D., Handman E., Cheers C. and Gerondakis S. (1996) The Rel subunit of NF-kappaB-like transcription factors is a positive and negative regulator of macrophage gene expression: distinct roles for Rel in different macrophage populations *Embo J* **15**: 7099-107.
- Grisham M.B., Jourdain D. and Wink D.A. (1999) Nitric oxide. I. Physiological chemistry of nitric oxide and its metabolites: implications in inflammation *Am J Physiol* **276**: G315-21.
- Guthridge M.A., Stomski F.C., Thomas D., Woodcock J.M., Bagley C.J., Berndt M.C. and Lopez A.F. (1998) Mechanism of activation of the GM-CSF, IL-3, and IL-5 family of receptors *Stem Cells* **16**: 301-13.
- Hacker H., Mischak H., Miethke T., Liptay S., Schmid R., Sparwasser T., Heeg K., Lipford G.B. and Wagner H. (1998) CpG-DNA-specific activation of antigen-presenting cells requires stress kinase activity and is preceded by non-specific endocytosis and endosomal maturation *Embo J* **17**: 6230-40.

- Hart D.N. (1997) Dendritic cells: unique leukocyte populations which control the primary immune response *Blood* **90**: 3245-87.
- Hawiger D., Inaba K., Dorsett Y., Guo M., Mahnke K., Rivera M., Ravetch J.V., Steinman R.M. and Nussenzweig M.C. (2001) Dendritic cells induce peripheral T cell unresponsiveness under steady state conditions in vivo *J Exp Med* **194**: 769-79.
- Heath W.R. and Carbone F.R. (2001 a) Cross-presentation in viral immunity and self-tolerance *Nat Rev Immunol* **1**: 126-34.
- Heath W.R. and Carbone F.R. (2001 b) Cross-presentation, dendritic cells, tolerance and immunity *Annu Rev Immunol* **19**: 47-64.
- Heck D.E., Laskin D.L., Gardner C.R. and Laskin J.D. (1992) Epidermal growth factor suppresses nitric oxide and hydrogen peroxide production by keratinocytes. Potential role for nitric oxide in the regulation of wound healing *J Biol Chem* **267**: 21277-80.
- Heitmeier M.R., Scarim A.L. and Corbett J.A. (1998) Double-stranded RNA-induced inducible nitric-oxide synthase expression and interleukin-1 release by murine macrophages requires NF-kappaB activation *J Biol Chem* **273**: 15301-7.
- Hertz C.J., Kiertscher S.M., Godowski P.J., Bouis D.A., Norgard M.V., Roth M.D. and Modlin R.L. (2001) Microbial lipopeptides stimulate dendritic cell maturation via Toll-like receptor 2 *J Immunol* **166**: 2444-50.
- Heufler C., Koch F. and Schuler G. (1988) Granulocyte/macrophage colony-stimulating factor and interleukin 1 mediate the maturation of murine epidermal Langerhans cells into potent immunostimulatory dendritic cells *J Exp Med* **167**: 700-5.
- Hirafuji M., Machida T., Tsunoda M., Miyamoto A. and Minami M. (2002) Docosahexaenoic acid potentiates interleukin-1beta induction of nitric oxide synthase through mechanism involving p44/42 MAPK activation in rat vascular smooth muscle cells *Br J Pharmacol* **136**: 613-9.
- Hoffman R.A., Mahidhara R.S., Wolf-Johnston A.S., Lu L., Thomson A.W. and Simmons R.L. (2002) Differential modulation of CD4 and CD8 T-cell proliferation by induction of nitric oxide synthesis in antigen presenting cells *Transplantation* **74**: 836-45.
- Holt P.G., Oliver J., Bilyk N., McMenamin C., McMenamin P.G., Kraal G. and Thepen T. (1993) Downregulation of the antigen presenting cell function(s) of pulmonary dendritic cells in vivo by resident alveolar macrophages *J Exp Med* **177**: 397-407.
- Holt P.G. and Thomas J.A. (1997) Steroids inhibit uptake and/or processing but not presentation of antigen by airway dendritic cells *Immunology* **91**: 145-50.
- Hornig T., Barton G.M., Flavell R.A. and Medzhitov R. (2002) The adaptor molecule TIRAP provides signalling specificity for Toll-like receptors *Nature* **420**: 329-33.

Bibliografia

- Hoshino K., Takeuchi O., Kawai T., Sanjo H., Ogawa T., Takeda Y., Takeda K. and Akira S. (1999) Cutting edge: Toll-like receptor 4 (TLR4)-deficient mice are hyporesponsive to lipopolysaccharide: evidence for TLR4 as the *Lps* gene product *J Immunol* **162**: 3749-52.
- Hoshino K., Kaisho T., Iwabe T., Takeuchi O. and Akira S. (2002) Differential involvement of IFN-beta in Toll-like receptor-stimulated dendritic cell activation *Int Immunol* **14**: 1225-31.
- Huang C., Li J., Costa M., Zhang Z., Leonard S.S., Castranova V., Vallyathan V., Ju G. and Shi X. (2001) Hydrogen peroxide mediates activation of nuclear factor of activated T cells (NFAT) by nickel subsulfide *Cancer Res* **61**: 8051-7.
- Ignarro L.J. (2002) After 130 years, the molecular mechanism of action of nitroglycerin is revealed *Proc Natl Acad Sci U S A* **99**: 7816-7.
- Imler J.L. and Hoffmann J.A. (2003) Toll signaling: the TIReless quest for specificity *Nat Immunol* **4**: 105-6.
- Inaba K., Inaba M., Romani N., Aya H., Deguchi M., Ikehara S., Muramatsu S. and Steinman R.M. (1992) Generation of large numbers of dendritic cells from mouse bone marrow cultures supplemented with granulocyte/macrophage colony-stimulating factor *J Exp Med* **176**: 1693-702.
- Inaba K., Turley S., Yamaide F., Iyoda T., Mahnke K., Inaba M., Pack M., Subklewe M., Sauter B., Sheff D., Albert M., Bhardwaj N., Mellman I. and Steinman R.M. (1998) Efficient presentation of phagocytosed cellular fragments on the major histocompatibility complex class II products of dendritic cells *J Exp Med* **188**: 2163-73.
- Ismaili J., Rennesson J., Aksoy E., Vekemans J., Vincart B., Amraoui Z., Van Laethem F., Goldman M. and Dubois P.M. (2002) Monophosphoryl lipid A activates both human dendritic cells and T cells *J Immunol* **168**: 926-32.
- Ito T., Inaba M., Inaba K., Toki J., Sogo S., Iguchi T., Adachi Y., Yamaguchi K., Amakawa R., Valladeau J., Saeland S., Fukuhara S. and Ikehara S. (1999) A CD1a⁺/CD11c⁺ subset of human blood dendritic cells is a direct precursor of Langerhans cells *J Immunol* **163**: 1409-19.
- Ito T., Amakawa R., Inaba M., Ikehara S., Inaba K. and Fukuhara S. (2001) Differential regulation of human blood dendritic cell subsets by IFNs *J Immunol* **166**: 2961-9.
- Iyoda T., Shimoyama S., Liu K., Omatsu Y., Akiyama Y., Maeda Y., Takahara K., Steinman R.M. and Inaba K. (2002) The CD8⁺ dendritic cell subset selectively endocytoses dying cells in culture and in vivo *J Exp Med* **195**: 1289-302.
- Jacobs A.T. and Ignarro L.J. (2001) Lipopolysaccharide-induced expression of interferon-beta mediates the timing of inducible nitric-oxide synthase induction in RAW 264.7 macrophages *J Biol Chem* **276**: 47950-7.

- Janeway C.A., Travers P., Walport M. and Shlomchik (2001) Immunobiology, the immune system in health and disease, 5nd ed (Garland Publishing and Current Biology Ltd, London).
- Jefferies C. and O'Neill L.A.J. (2002) Signal transduction pathway activated by Toll-like receptors *Mod. Asp. Immunobiol.* **2**: 169-175.
- Josien R., Li H.L., Ingulli E., Sarma S., Wong B.R., Vologodskaja M., Steinman R.M. and Choi Y. (2000) TRANCE, a tumor necrosis factor family member, enhances the longevity and adjuvant properties of dendritic cells in vivo *J Exp Med* **191**: 495-502.
- Juan T.S., Kelley M.J., Johnson D.A., Busse L.A., Hailman E., Wright S.D. and Lichenstein H.S. (1995) Soluble CD14 truncated at amino acid 152 binds lipopolysaccharide (LPS) and enables cellular response to LPS *J Biol Chem* **270**: 1382-7.
- Kaisho T. and Akira S. (2001) Dendritic-cell function in Toll-like receptor- and MyD88-knockout mice *Trends Immunol* **22**: 78-83.
- Kaisho T., Takeuchi O., Kawai T., Hoshino K. and Akira S. (2001) Endotoxin-induced maturation of MyD88-deficient dendritic cells *J Immunol* **166**: 5688-94.
- Kaisho T. and Akira S. (2003) Regulation of dendritic cell function through Toll-like receptors *Curr Mol Med* **3**: 373-85.
- Kalinski P., Hilkens C.M., Wierenga E.A. and Kapsenberg M.L. (1999) T-cell priming by type-1 and type-2 polarized dendritic cells: the concept of a third signal *Immunol Today* **20**: 561-7.
- Kalinski P., Vieira P.L., Schuitemaker J.H., de Jong E.C. and Kapsenberg M.L. (2001) Prostaglandin E(2) is a selective inducer of interleukin-12 p40 (IL-12p40) production and an inhibitor of bioactive IL-12p70 heterodimer *Blood* **97**: 3466-9.
- Kanitakis J. (1998) Immunohistochemistry of normal human skin *Eur J Dermatol* **8**: 539-47.
- Karin M. (1999) How NF-kappaB is activated: the role of the IkappaB kinase (IKK) complex *Oncogene* **18**: 6867-74.
- Kawai T., Takeuchi O., Fujita T., Inoue J., Muhlradt P.F., Sato S., Hoshino K. and Akira S. (2001) Lipopolysaccharide stimulates the MyD88-independent pathway and results in activation of IFN-regulatory factor 3 and the expression of a subset of lipopolysaccharide-inducible genes *J Immunol* **167**: 5887-94.
- Kehren J., Desvignes C., Krasteva M., Ducluzeau M.T., Assossou O., Horand F., Hahne M., Kagi D., Kaiserlian D. and Nicolas J.F. (1999) Cytotoxicity is mandatory for CD8⁺ T cell-mediated contact hypersensitivity *J Exp Med* **189**: 779-86.

- Kimber I., Dearman R.J., Cumberbatch M. and Huby R.J. (1998) Langerhans cells and chemical allergy *Curr Opin Immunol* **10**: 614-9.
- Kimber I., Pichowski J.S., Basketter D.A. and Dearman R.J. (1999) Immune responses to contact allergens: novel approaches to hazard evaluation *Toxicol Lett* **106**: 237-46.
- Kimber I., Cumberbatch M., Dearman R.J., Bhushan M. and Griffiths C.E. (2000) Cytokines and chemokines in the initiation and regulation of epidermal Langerhans cell mobilization *Br J Dermatol* **142**: 401-12.
- Kimber I. and Dearman R.J. (2002) Allergic contact dermatitis: the cellular effectors *Contact Dermatitis* **46**: 1-5.
- Kimber I., Dearman R.J., Basketter D.A., Ryan C.A. and Gerberick G.F. (2002) The local lymph node assay: past, present and future *Contact Dermatitis* **47**: 315-28.
- Kitamura Y., Takahashi H., Nomura Y. and Taniguchi T. (1996) Possible involvement of Janus kinase Jak2 in interferon-gamma induction of nitric oxide synthase in rat glial cells *Eur J Pharmacol* **306**: 297-306.
- Kleinert H., Wallerath T., Fritz G., Ihrig-Biedert I., Rodriguez-Pascual F., Geller D.A. and Forstermann U. (1998) Cytokine induction of NO synthase II in human DLD-1 cells: roles of the JAK-STAT, AP-1 and NF-kappaB-signaling pathways *Br J Pharmacol* **125**: 193-201.
- Knowles R.G. and Moncada S. (1994) Nitric oxide synthases in mammals *Biochem J* **298 (Pt 2)**: 249-58.
- Korus M., Mahon G.M., Cheng L. and Whitehead I.P. (2002) p38 MAPK-mediated activation of NF-kappaB by the RhoGEF domain of Bcr *Oncogene* **21**: 4601-12.
- Kovarik P., Stoiber D., Novy M. and Decker T. (1998) Stat1 combines signals derived from IFN-gamma and LPS receptors during macrophage activation *Embo J* **17**: 3660-8.
- Kremer I.B., Stevens S.R., Gould J.W., DiCarlo J., Quinby G.E. and Cooper K.D. (2000) Intradermal granulocyte-macrophage colony-stimulating factor alters cutaneous antigen-presenting cells and differentially affects local versus distant immunization in humans *Clin Immunol* **96**: 29-37.
- Krischel V., Bruch-Gerharz D., Suschek C., Kroncke K.D., Ruzicka T. and Kolb-Bachofen V. (1998) Biphasic effect of exogenous nitric oxide on proliferation and differentiation in skin derived keratinocytes but not fibroblasts *J Invest Dermatol* **111**: 286-91.
- Kristof A.S., Marks-Konczalik J. and Moss J. (2001) Mitogen-activated protein kinases mediate activator protein-1-dependent human inducible nitric-oxide synthase promoter activation *J Biol Chem* **276**: 8445-52.

- Kruse M., Meinel E., Henning G., Kuhnt C., Berchtold S., Berger T., Schuler G. and Steinkasserer A. (2001) Signaling lymphocytic activation molecule is expressed on mature CD83⁺ dendritic cells and is up-regulated by IL-1 beta *J Immunol* **167**: 1989-95.
- Kuhn U., Brand P., Willemsen J., Jonuleit H., Enk A.H., van Brandwijk-Petershans R., Saloga J., Knop J. and Becker D. (1998) Induction of tyrosine phosphorylation in human MHC class II-positive antigen-presenting cells by stimulation with contact sensitizers *J Immunol* **160**: 667-73.
- Laemmli U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4 *Nature* **227**: 680-5.
- Lamas S., Perez-Sala D. and Moncada S. (1998) Nitric oxide: from discovery to the clinic *Trends Pharmacol Sci* **19**: 436-8.
- Lambrecht B.N. (2001) Allergen uptake and presentation by dendritic cells *Curr Opin Allergy Clin Immunol* **1**: 51-9.
- Lanzavecchia A. and Sallusto F. (2001) Regulation of T cell immunity by dendritic cells *Cell* **106**: 263-6.
- Lechmann M., Berchtold S., Hauber J. and Steinkasserer A. (2002) CD83 on dendritic cells: more than just a marker for maturation *Trends Immunol* **23**: 273-5.
- Lee B.S., Kang H.S., Pyun K.H. and Choi I. (1997) Roles of tyrosine kinases in the regulation of nitric oxide synthesis in murine liver cells: modulation of NF-kappa B activity by tyrosine kinases *Hepatology* **25**: 913-9.
- Lee J.I., Ganster R.W., Geller D.A., Burckart G.J., Thomson A.W. and Lu L. (1999) Cyclosporine A inhibits the expression of costimulatory molecules on in vitro-generated dendritic cells: association with reduced nuclear translocation of nuclear factor kappa B *Transplantation* **68**: 1255-63.
- Legge K.L., Gregg R.K., Maldonado-Lopez R., Li L., Caprio J.C., Moser M. and Zaghouani H. (2002) On the role of dendritic cells in peripheral T cell tolerance and modulation of autoimmunity *J Exp Med* **196**: 217-27.
- Levy D.E. and Darnell J.E., Jr. (2002) Stats: transcriptional control and biological impact *Nat Rev Mol Cell Biol* **3**: 651-62.
- Li Q. and Verma I.M. (2002) NF-kappaB regulation in the immune system *Nat Rev Immunol* **2**: 725-34.
- Lipscomb M.F. and Masten B.J. (2002) Dendritic cells: immune regulators in health and disease *Physiol Rev* **82**: 97-130.
- Liu H.W., Anand A., Bloch K., Christiani D. and Kradin R. (1997 a) Expression of inducible nitric oxide synthase by macrophages in rat lung *Am J Respir Crit Care Med* **156**: 223-8.

- Liu R., Itoh T., Arai K. and Watanabe S. (1997 b) Activation of c-Jun N-terminal kinase by human granulocyte macrophage-colony stimulating factor in BA/F3 cells *Biochem Biophys Res Commun* **234**: 611-5.
- Liu Y., Peterson D.A., Kimura H. and Schubert D. (1997 c) Mechanism of cellular 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) reduction *J Neurochem* **69**: 581-93.
- Liu R., Liu C.B., Mohi M.G., Arai K. and Watanabe S. (2000) Analysis of mechanisms involved in the prevention of gamma irradiation-induced apoptosis by hGM-CSF *Oncogene* **19**: 571-9.
- Liu Y.J. (2001) Dendritic cell subsets and lineages, and their functions in innate and adaptive immunity *Cell* **106**: 259-62.
- Liu K., Iyoda T., Saternus M., Kimura Y., Inaba K. and Steinman R.M. (2002) Immune tolerance after delivery of dying cells to dendritic cells in situ *J Exp Med* **196**: 1091-7.
- Lopez A.F., Elliott M.J., Woodcock J. and Vadas M.A. (1992) GM-CSF, IL-3 and IL-5: cross-competition on human haemopoietic cells *Immunol Today* **13**: 495-500.
- Lu L., Bonham C.A., Chambers F.G., Watkins S.C., Hoffman R.A., Simmons R.L. and Thomson A.W. (1996) Induction of nitric oxide synthase in mouse dendritic cells by IFN-gamma, endotoxin, and interaction with allogeneic T cells: nitric oxide production is associated with dendritic cell apoptosis *J Immunol* **157**: 3577-86.
- Lu L., Gambotto A., Lee W.C., Qian S., Bonham C.A., Robbins P.D. and Thomson A.W. (1999) Adenoviral delivery of CTLA4lg into myeloid dendritic cells promotes their in vitro tolerogenicity and survival in allogeneic recipients *Gene Ther* **6**: 554-63.
- Lutz M.B., Suri R.M., Niimi M., Ogilvie A.L., Kukutsch N.A., Rossner S., Schuler G. and Austyn J.M. (2000) Immature dendritic cells generated with low doses of GM-CSF in the absence of IL-4 are maturation resistant and prolong allograft survival in vivo *Eur J Immunol* **30**: 1813-22.
- Lutz M.B., Schnare M., Menges M., Rossner S., Rollinghoff M., Schuler G. and Gessner A. (2002) Differential functions of IL-4 receptor types I and II for dendritic cell maturation and IL-12 production and their dependency on GM-CSF *J Immunol* **169**: 3574-80.
- Lyakh L.A., Koski G.K., Telford W., Gress R.E., Cohen P.A. and Rice N.R. (2000) Bacterial lipopolysaccharide, TNF-alpha, and calcium ionophore under serum-free conditions promote rapid dendritic cell-like differentiation in CD14⁺ monocytes through distinct pathways that activate NK-kappa B *J Immunol* **165**: 3647-55.
- Manome H., Aiba S. and Tagami H. (1999) Simple chemicals can induce maturation and apoptosis of dendritic cells *Immunology* **98**: 481-90.

- Marrero M.B., Venema V.J., He H., Caldwell R.B. and Venema R.C. (1998) Inhibition by the JAK/STAT pathway of IFN γ - and LPS-stimulated nitric oxide synthase induction in vascular smooth muscle cells *Biochem Biophys Res Commun* **252**: 508-12.
- Martin P., del Hoyo G.M., Anjuere F., Ruiz S.R., Arias C.F., Marin A.R. and Ardavin C. (2000) Concept of lymphoid versus myeloid dendritic cell lineages revisited: both CD8 α ⁻ and CD8 α ⁺ dendritic cells are generated from CD4^{low} lymphoid-committed precursors *Blood* **96**: 2511-9.
- Martinez del Hoyo G., Martin P., Arias C.F., Marin A.R. and Ardavin C. (2002 a) CD8 α ⁺ dendritic cells originate from the CD8 α ⁻ dendritic cell subset by a maturation process involving CD8 α , DEC-205, and CD24 up-regulation *Blood* **99**: 999-1004.
- Martinez del Hoyo G., Martin P., Vargas H.H., Ruiz S., Arias C.F. and Ardavin C. (2002 b) Characterization of a common precursor population for dendritic cells *Nature* **415**: 1043-7.
- Matsuguchi T., Lilly M.B. and Kraft A.S. (1998) Cytoplasmic domains of the human granulocyte-macrophage colony-stimulating factor (GM-CSF) receptor beta chain (hbetac) responsible for human GM-CSF-induced myeloid cell differentiation *J Biol Chem* **273**: 19411-8.
- McLeish K.R., Knall C., Ward R.A., Gerwins P., Coxon P.Y., Klein J.B. and Johnson G.L. (1998) Activation of mitogen-activated protein kinase cascades during priming of human neutrophils by TNF-alpha and GM-CSF *J Leukoc Biol* **64**: 537-45.
- Medzhitov R. (2001) Toll-like receptors and innate immunity *Nat Rev Immunol* **1**: 135-45.
- Mellman I. and Steinman R.M. (2001) Dendritic cells: specialized and regulated antigen processing machines *Cell* **106**: 255-8.
- Mercurio F. and Manning A.M. (1999 a) Multiple signals converging on NF-kappaB *Curr Opin Cell Biol* **11**: 226-32.
- Mercurio F. and Manning A.M. (1999 b) NF-kappaB as a primary regulator of the stress response *Oncogene* **18**: 6163-71.
- Meydan N., Grunberger T., Dadi H., Shahar M., Arpaia E., Lapidot Z., Leeder J.S., Freedman M., Cohen A., Gazit A., Levitzki A. and Roifman C.M. (1996) Inhibition of acute lymphoblastic leukaemia by a Jak-2 inhibitor *Nature* **379**: 645-8.
- Michelsen K.S., Aicher A., Mohaupt M., Hartung T., Dimmeler S., Kirschning C.J. and Schumann R.R. (2001) The role of toll-like receptors (TLRs) in bacteria-induced maturation of murine dendritic cells (DCS). Peptidoglycan and lipoteichoic acid are inducers of DC maturation and require TLR2 *J Biol Chem* **276**: 25680-6.
- Miller D.R., Collier J.M. and Billings R.E. (1997) Protein tyrosine kinase activity regulates nitric oxide synthase induction in rat hepatocytes *Am J Physiol* **272**: G207-14.

Bibliografia

- Misko T.P., Moore W.M., Kasten T.P., Nickols G.A., Corbett J.A., Tilton R.G., McDaniel M.L., Williamson J.R. and Currie M.G. (1993) Selective inhibition of the inducible nitric oxide synthase by aminoguanidine *Eur J Pharmacol* **233**: 119-25.
- Morhenn V.B. (1997) Langerhans cells may trigger the psoriatic disease process via production of nitric oxide *Immunol Today* **18**: 433-6.
- Morita H., Semma M., Hori M. and Kitano Y. (1995) Clinical application of nitric oxide synthase inhibitor for atopic dermatitis *Int J Dermatol* **34**: 294-5.
- Morse M.A., Mosca P.J., Clay T.M. and Lyerly H.K. (2002) Dendritic cell maturation in active immunotherapy strategies *Expert Opin Biol Ther* **2**: 35-43.
- Moser M. and Murphy K.M. (2000) Dendritic cell regulation of TH1-TH2 development *Nat Immunol* **1**: 199-205.
- Mosmann T. (1983) Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays *J Immunol Methods* **65**: 55-63.
- Moulon C., Wild D., Dormoy A. and Weltzien H.U. (1998) MHC-dependent and -independent activation of human nickel-specific CD8⁺ cytotoxic T cells from allergic donors *J Invest Dermatol* **111**: 360-6.
- Murphy J.E., Robert C. and Kupper T.S. (2000) Interleukin-1 and cutaneous inflammation: a crucial link between innate and acquired immunity *J Invest Dermatol* **114**: 602-8.
- Mustafa S.B. and Olson M.S. (1998) Expression of nitric-oxide synthase in rat Kupffer cells is regulated by cAMP *J Biol Chem* **273**: 5073-80.
- Nakamura T., Ouchida R., Kodama T., Kawashima T., Makino Y., Yoshikawa N., Watanabe S., Morimoto C., Kitamura T. and Tanaka H. (2002) Cytokine receptor common beta subunit-mediated STAT5 activation confers NF-kappa B activation in murine proB cell line Ba/F3 cells *J Biol Chem* **277**: 6254-65.
- Nakashima O., Terada Y., Inoshita S., Kuwahara M., Sasaki S. and Marumo F. (1999) Inducible nitric oxide synthase can be induced in the absence of active nuclear factor-kappaB in rat mesangial cells: involvement of the Janus kinase 2 signaling pathway *J Am Soc Nephrol* **10**: 721-9.
- Neisius U., Brand P., Plochmann S., Saloga J., Knop J. and Becker D. (1999) Detection of increased tyrosine phosphorylation in murine Langerhans cells after stimulation with contact sensitizers *Arch Dermatol Res* **291**: 22-7.
- Neumann M., Fries H., Scheicher C., Keikavoussi P., Kolb-Maurer A., Brocker E., Serfling E. and Kampgen E. (2000) Differential expression of Rel/NF-kappaB and octamer factors is a hallmark of the generation and maturation of dendritic cells *Blood* **95**: 277-85.

- Nishiya T., Uehara T. and Nomura Y. (1995) Herbimycin A suppresses NF-kappa B activation and tyrosine phosphorylation of JAK2 and the subsequent induction of nitric oxide synthase in C6 glioma cells *FEBS Lett* **371**: 333-6.
- Nishiya T., Uehara T., Edamatsu H., Kaziro Y., Itoh H. and Nomura Y. (1997) Activation of Stat1 and subsequent transcription of inducible nitric oxide synthase gene in C6 glioma cells is independent of interferon-gamma-induced MAPK activation that is mediated by p21ras *FEBS Lett* **408**: 33-8.
- Norimatsu M., Harris J., Chance V., Dougan G., Howard C.J. and Villarreal-Ramos B. (2003) Differential response of bovine monocyte-derived macrophages and dendritic cells to infection with *Salmonella typhimurium* in a low-dose model in vitro *Immunology* **108**: 55-61.
- Nouri-Shirazi M. and Guinet E. (2002) Direct and indirect cross-tolerance of alloreactive T cells by dendritic cells retained in the immature stage *Transplantation* **74**: 1035-44.
- Ohmori Y., Schreiber R.D. and Hamilton T.A. (1997) Synergy between interferon-gamma and tumor necrosis factor-alpha in transcriptional activation is mediated by cooperation between signal transducer and activator of transcription 1 and nuclear factor kappaB *J Biol Chem* **272**: 14899-907.
- Ohmori Y. and Hamilton T.A. (2001) Requirement for STAT1 in LPS-induced gene expression in macrophages *J Leukoc Biol* **69**: 598-604.
- Okuda S., Kanda F., Kawahara Y. and Chihara K. (1997) Regulation of inducible nitric oxide synthase expression in L6 rat skeletal muscle cells *Am J Physiol* **272**: C35-40.
- Okuda K., Foster R. and Griffin J.D. (1999) Signaling domains of the beta c chain of the GM-CSF/IL-3/IL-5 receptor *Ann N Y Acad Sci* **872**: 305-12; discussion 312-3.
- Ormerod A.D., Dwyer C.M., Reid A., Copeland P. and Thompson W.D. (1997) Inducible nitric oxide synthase demonstrated in allergic and irritant contact dermatitis *Acta Derm Venereol* **77**: 436-40.
- Ormerod A.D., Copeland P., Hay I., Husain A. and Ewen S.W. (1999) The inflammatory and cytotoxic effects of a nitric oxide releasing cream on normal skin *J Invest Dermatol* **113**: 392-7.
- Osawa Y., Lowe E.R., Everett A.C., Dunbar A.Y. and Billecke S.S. (2003) Proteolytic degradation of nitric oxide synthase: effect of inhibitors and role of hsp90-based chaperones *J Pharmacol Exp Ther* **304**: 493-7.
- O'Shea J.J., Gadina M. and Schreiber R.D. (2002) Cytokine signaling in 2002: new surprises in the Jak/Stat pathway *Cell* **109 Suppl**: S121-31.
- O'Sullivan B.J. and Thomas R. (2002) CD40 ligation conditions dendritic cell antigen-presenting function through sustained activation of NF-kappaB *J Immunol* **168**: 5491-8.

Bibliografia

- Ouaaz F., Arron J., Zheng Y., Choi Y. and Beg A.A. (2002) Dendritic cell development and survival require distinct NF-kappaB subunits *Immunity* **16**: 257-70.
- Oyama T., Ran S., Ishida T., Nadaf S., Kerr L., Carbone D.P. and Gabrilovich D.I. (1998) Vascular endothelial growth factor affects dendritic cell maturation through the inhibition of nuclear factor-kappa B activation in hemopoietic progenitor cells *J Immunol* **160**: 1224-32.
- Ozaki A., Fukushima A., Fukata K., Sakamoto S., Taniguchi T., Hashiguch M. and Ueno H. (2002) Genetic background determines sensitivity to the inhibitory function of NO on T cell proliferation and the amounts of NO production mediated through IFN-gamma *Microbiol Immunol* **46**: 555-63.
- Ozaki K. and Leonard W.J. (2002) Cytokine and cytokine receptor pleiotropy and redundancy *J Biol Chem* **277**: 29355-8.
- Ozes O.N., Mayo L.D., Gustin J.A., Pfeffer S.R., Pfeffer L.M. and Donner D.B. (1999) NF-kappaB activation by tumour necrosis factor requires the Akt serine-threonine kinase *Nature* **401**: 82-5.
- Pahan K., Raymond J.R. and Singh I. (1999) Inhibition of phosphatidylinositol 3-kinase induces nitric-oxide synthase in lipopolysaccharide- or cytokine-stimulated C6 glial cells *J Biol Chem* **274**: 7528-36.
- Pahl H.L. (1999) Activators and target genes of Rel/NF-kappaB transcription factors *Oncogene* **18**: 6853-66.
- Palmer R.M., Ferrige A.G. and Moncada S. (1987) Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor *Nature* **327**: 524-6.
- Paolucci C., Rovere P., De Nadai C., Manfredi A.A. and Clementi E. (2000) Nitric oxide inhibits the tumor necrosis factor alpha -regulated endocytosis of human dendritic cells in a cyclic GMP-dependent way *J Biol Chem* **275**: 19638-44.
- Parlato S., Santini S.M., Lapenta C., Di Pucchio T., Logozzi M., Spada M., Giammarioli A.M., Malorni W., Fais S. and Belardelli F. (2001) Expression of CCR-7, MIP-3beta, and Th-1 chemokines in type I IFN-induced monocyte-derived dendritic cells: importance for the rapid acquisition of potent migratory and functional activities *Blood* **98**: 3022-9.
- Paul C.C., Mahrer S., McMannama K. and Baumann M.A. (1997) Autocrine activation of the IL-3/GM-CSF/IL-5 signaling pathway in leukemic cells *Am J Hematol* **56**: 79-85.
- Pellacani A., Wiesel P., Razavi S., Vasilj V., Feinberg M.W., Chin M.T., Reeves R. and Perrella M.A. (2001) Down-regulation of high mobility group-I(Y) protein contributes to the inhibition of nitric-oxide synthase 2 by transforming growth factor-beta1 *J Biol Chem* **276**: 1653-9.

- Pettit A.R., Quinn C., MacDonald K.P., Cavanagh L.L., Thomas G., Townsend W., Handel M. and Thomas R. (1997) Nuclear localization of RelB is associated with effective antigen-presenting cell function *J Immunol* **159**: 3681-91.
- Poggi A., Tomasello E., Ferrero E., Zocchi M.R. and Moretta L. (1998) p40/LAIR-1 regulates the differentiation of peripheral blood precursors to dendritic cells induced by granulocyte-monocyte colony-stimulating factor *Eur J Immunol* **28**: 2086-91.
- Poltorak A., He X., Smirnova I., Liu M.Y., Van Huffel C., Du X., Birdwell D., Alejos E., Silva M., Galanos C., Freudenberg M., Ricciardi-Castagnoli P., Layton B. and Beutler B. (1998) Defective LPS signaling in C3H/HeJ and C57BL/10ScCr mice: mutations in Tlr4 gene *Science* **282**: 2085-8.
- Puig-Kroger A., Sanz-Rodriguez F., Longo N., Sanchez-Mateos P., Botella L., Teixeira J., Bernabeu C. and Corbi A.L. (2000) Maturation-dependent expression and function of the CD49d integrin on monocyte-derived human dendritic cells *J Immunol* **165**: 4338-45.
- Puig-Kroger A., Relloso M., Fernandez-Capetillo O., Zubiaga A., Silva A., Bernabeu C. and Corbi A.L. (2001) Extracellular signal-regulated protein kinase signaling pathway negatively regulates the phenotypic and functional maturation of monocyte-derived human dendritic cells *Blood* **98**: 2175-82.
- Pyatt D.W., Stillman W.S., Yang Y., Gross S., Zheng J.H. and Irons R.D. (1999) An essential role for NF-kappaB in human CD34⁺ bone marrow cell survival *Blood* **93**: 3302-8.
- Qureshi A.A., Hosoi J., Xu S., Takashima A., Granstein R.D. and Lerner E.A. (1996) Langerhans cells express inducible nitric oxide synthase and produce nitric oxide *J Invest Dermatol* **107**: 815-21.
- Rane S.G. and Reddy E.P. (2000) Janus kinases: components of multiple signaling pathways *Oncogene* **19**: 5662-79.
- Ratovitski E.A., Alam M.R., Quick R.A., McMillan A., Bao C., Kozlovsky C., Hand T.A., Johnson R.C., Mains R.E., Eipper B.A. and Lowenstein C.J. (1999 a) Kalirin inhibition of inducible nitric-oxide synthase *J Biol Chem* **274**: 993-9.
- Ratovitski E.A., Bao C., Quick R.A., McMillan A., Kozlovsky C. and Lowenstein C.J. (1999 b) An inducible nitric-oxide synthase (NOS)-associated protein inhibits NOS dimerization and activity *J Biol Chem* **274**: 30250-7.
- Ratzinger G., Stoitzner P., Ebner S., Lutz M.B., Layton G.T., Rainer C., Senior R.M., Shipley J.M., Fritsch P., Schuler G. and Romani N. (2002) Matrix metalloproteinases 9 and 2 are necessary for the migration of Langerhans cells and dermal dendritic cells from human and murine skin *J Immunol* **168**: 4361-71.
- Re F. and Strominger J.L. (2001) Toll-like receptor 2 (TLR2) and TLR4 differentially activate human dendritic cells *J Biol Chem* **276**: 37692-9.

Bibliografia

- Re F., Belyanskaya S.L., Riese R.J., Cipriani B., Fischer F.R., Granucci F., Ricciardi-Castagnoli P., Brosnan C., Stern L.J., Strominger J.L. and Santambrogio L. (2002) Granulocyte-macrophage colony-stimulating factor induces an expression program in neonatal microglia that primes them for antigen presentation *J Immunol* **169**: 2264-73.
- Reid C.D. (1998) The biology and clinical applications of dendritic cells *Transfus Med* **8**: 77-86.
- Reinhard G., Marten A., Kiske S.M., Feil F., Bieber T. and Schmidt-Wolf I.G. (2002) Generation of dendritic cell-based vaccines for cancer therapy *Br J Cancer* **86**: 1529-33.
- Reiser H. and Schneeberger E.E. (1996) Expression and function of B7-1 and B7-2 in hapten-induced contact sensitivity *Eur J Immunol* **26**: 880-5.
- Reisser D., Pance A. and Jeannin J.F. (2002) Mechanisms of the antitumoral effect of lipid A *Bioessays* **24**: 284-9.
- Remoli M.E., Giacomini E., Lutfalla G., Dondi E., Orefici G., Battistini A., Uze G., Pellegrini S. and Coccia E.M. (2002) Selective expression of type I IFN genes in human dendritic cells infected with *Mycobacterium tuberculosis* *J Immunol* **169**: 366-74.
- Rescigno M. (2002) Dendritic cells and the complexity of microbial infection *Trends Microbiol* **10**: 425-61.
- Rescigno M., Martino M., Sutherland C.L., Gold M.R. and Ricciardi-Castagnoli P. (1998) Dendritic cell survival and maturation are regulated by different signaling pathways *J Exp Med* **188**: 2175-80.
- Rescigno M. and Borrow P. (2001) The host-pathogen interaction: new themes from dendritic cell biology *Cell* **106**: 267-70.
- Rescigno M., Urbano M., Rimoldi M., Valzasina B., Rotta G., Granucci F. and Ricciardi-Castagnoli P. (2002) Toll-like receptor 4 is not required for the full maturation of dendritic cells or for the degradation of Gram-negative bacteria *Eur J Immunol* **32**: 2800-6.
- Roake J.A., Rao A.S., Morris P.J., Larsen C.P., Hankins D.F. and Austyn J.M. (1995) Dendritic cell loss from nonlymphoid tissues after systemic administration of lipopolysaccharide, tumor necrosis factor, and interleukin 1 *J Exp Med* **181**: 2237-47.
- Rocha I.M. and Guillo L.A. (2001) Lipopolysaccharide and cytokines induce nitric oxide synthase and produce nitric oxide in cultured normal human melanocytes *Arch Dermatol Res* **293**: 245-8.
- Rodriguez A., Regnault A., Kleijmeer M., Ricciardi-Castagnoli P. and Amigorena S. (1999) Selective transport of internalized antigens to the cytosol for MHC class I presentation in dendritic cells *Nat Cell Biol* **1**: 362-8.
- Romashkova J.A. and Makarov S.S. (1999) NF-kappaB is a target of AKT in anti-apoptotic PDGF signalling *Nature* **401**: 86-90.

- Rosenzwajg M., Jourquin F., Tailleux L. and Gluckman J.C. (2002) CD40 ligation and phagocytosis differently affect the differentiation of monocytes into dendritic cells *J Leukoc Biol* **72**: 1180-9.
- Ross R., Gillitzer C., Kleinz R., Schwing J., Kleinert H., Forstermann U. and Reske-Kunz A.B. (1998) Involvement of NO in contact hypersensitivity *Int Immunol* **10**: 61-9.
- Ross R. and Reske-Kunz A.B. (2001) The role of NO in contact hypersensitivity *Int Immunopharmacol* **1**: 1469-78.
- Rowe, A., Farrell, A. M., Bunker, C. B. (1997) Constitutive endothelial and inducible nitric oxide synthase in inflammatory dermatoses *Br J Dermatol* **136**: 18-23.
- Rudders S., Gaspar J., Madore R., Voland C., Grall F., Patel A., Pellacani A., Perrella M.A., Libermann T.A. and Oettgen P. (2001) ESE-1 is a novel transcriptional mediator of inflammation that interacts with NF-kappa B to regulate the inducible nitric-oxide synthase gene *J Biol Chem* **276**: 3302-9.
- Sahin S., Onder M., Sancak B., Bukan N. and Gurer M.A. (2001) The role of nitric oxide in allergic contact dermatitis *Arch Dermatol Res* **293**: 214-7.
- Salgado C.G., Nakamura K., Sugaya M., Tada Y., Asahina A., Fukuda S., Koyama Y., Irie S. and Tamaki K. (1999) Differential effects of cytokines and immunosuppressive drugs on CD40, B7-1, and B7-2 expression on purified epidermal Langerhans cells *J Invest Dermatol* **113**: 1021-7.
- Sallusto F., Cella M., Danieli C. and Lanzavecchia A. (1995) Dendritic cells use macropinocytosis and the mannose receptor to concentrate macromolecules in the major histocompatibility complex class II compartment: downregulation by cytokines and bacterial products *J Exp Med* **182**: 389-400.
- Sallusto F., Schaerli P., Loetscher P., Scharniel C., Lenig D., Mackay C.R., Qin S. and Lanzavecchia A. (1998) Rapid and coordinated switch in chemokine receptor expression during dendritic cell maturation *Eur J Immunol* **28**: 2760-9.
- Sallusto F. and Lanzavecchia A. (1999) Mobilizing dendritic cells for tolerance, priming, and chronic inflammation *J Exp Med* **189**: 611-4.
- Sallusto F., Palermo B., Lenig D., Miettinen M., Matikainen S., Julkunen I., Forster R., Burgstahler R., Lipp M. and Lanzavecchia A. (1999) Distinct patterns and kinetics of chemokine production regulate dendritic cell function *Eur J Immunol* **29**: 1617-25.
- Samardzic T., Jankovic V., Stosic-Grujicic S. and Trajkovic V. (2001) STAT1 is required for iNOS activation, but not IL-6 production in murine fibroblasts *Cytokine* **13**: 179-82.
- Schreck R., Meier B., Mannel D.N., Droge W. and Baeuerle P.A. (1992) Dithiocarbamates as potent inhibitors of nuclear factor kappa B activation in intact cells *J Exp Med* **175**: 1181-94.

Bibliografia

- Schreiber S., Kilgus O., Payer E., Kutil R., Elbe A., Mueller C. and Stingl G. (1992) Cytokine pattern of Langerhans cells isolated from murine epidermal cell cultures *J Immunol* **149**: 3524-34.
- Sebastiani S., Albanesi C., De P.O., Puddu P., Cavani A. and Girolomoni G. (2002 a) The role of chemokines in allergic contact dermatitis *Arch Dermatol Res* **293**: 552-9.
- Sebastiani S., Albanesi C., Nasorri F., Girolomoni G. and Cavani A. (2002 b) Nickel-specific CD4⁺ and CD8⁺ T cells display distinct migratory responses to chemokines produced during allergic contact dermatitis *J Invest Dermatol* **118**: 1052-8.
- Shen Z., Reznikoff G., Dranoff G. and Rock K.L. (1997) Cloned dendritic cells can present exogenous antigens on both MHC class I and class II molecules *J Immunol* **158**: 2723-30.
- Shen C.H. and Stavnezer J. (1998) Interaction of stat6 and NF-kappaB: direct association and synergistic activation of interleukin-4-induced transcription *Mol Cell Biol* **18**: 3395-404.
- Shimamura H., Cumberland R., Hiroishi K., Watkins S.C., Lotze M.T. and Baar J. (2002) Murine dendritic cell-induced tumor apoptosis is partially mediated by nitric oxide *J Immunother* **25**: 226-34.
- Shimazu R., Akashi S., Ogata H., Nagai Y., Fukudome K., Miyake K. and Kimoto M. (1999) MD-2, a molecule that confers lipopolysaccharide responsiveness on Toll-like receptor 4 *J Exp Med* **189**: 1777-82.
- Shimizu Y., Sakai M., Umemura Y. and Ueda H. (1997) Immunohistochemical localization of nitric oxide synthase in normal human skin: expression of endothelial-type and inducible-type nitric oxide synthase in keratinocytes *J Dermatol* **24**: 80-7.
- Shortman K. and Heath W.R. (2001) Immunity or tolerance? That is the question for dendritic cells *Nat Immunol* **2**: 988-9.
- Shortman K. and Liu Y.J. (2002) Mouse and human dendritic cell subtypes *Nat Rev Immunol* **2**: 151-61.
- Singh S., Aiba S., Manome H. and Tagami H. (1999) The effects of dexamethasone, cyclosporine, and vitamin D(3) on the activation of dendritic cells stimulated by haptens *Arch Dermatol Res* **291**: 548-54.
- Sirsjo A., Karlsson M., Gidlof A., Rollman O. and Torma H. (1996) Increased expression of inducible nitric oxide synthase in psoriatic skin and cytokine-stimulated cultured keratinocytes *Br J Dermatol* **134**: 643-8.
- Smith Pease C.K., Basketter D.A. and Patlewicz G.Y. (2003) Contact allergy: the role of skin chemistry and metabolism *Clin Exp Dermatol* **28**: 177-83.

- Smits H.H., de Jong E.C., Schuitemaker J.H., Geijtenbeek T.B., van Kooyk Y., Kapsenberg M.L. and Wierenga E.A. (2002) Intercellular adhesion molecule-1/LFA-1 ligation favors human Th1 development *J Immunol* **168**: 1710-6.
- Solan N.J., Miyoshi H., Carmona E.M., Bren G.D. and Paya C.V. (2002) RelB cellular regulation and transcriptional activity are regulated by p100 *J Biol Chem* **277**: 1405-18.
- Stanford A., Chen Y., Zhang X.R., Hoffman R., Zamora R. and Ford H.R. (2001) Nitric oxide mediates dendritic cell apoptosis by downregulating inhibitors of apoptosis proteins and upregulating effector caspase activity *Surgery* **130**: 326-32.
- Steinman R.M. (2000) DC-SIGN: a guide to some mysteries of dendritic cells *Cell* **100**: 491-4.
- Steinman R.M. and Cohn Z.A. (1973) Identification of a novel cell type in peripheral lymphoid organs of mice. I. Morphology, quantitation, tissue distribution *J Exp Med* **137**: 1142-62.
- Steinman R.M., Turley S., Mellman I. and Inaba K. (2000) The induction of tolerance by dendritic cells that have captured apoptotic cells *J Exp Med* **191**: 411-6.
- Steinman R.M., Hawiger D., Liu K., Bonifaz L., Bonnyay D., Mahnke K., Iyoda T., Ravetch J., Dhodapkar M., Inaba K. and Nussenzweig M. (2003) Dendritic cell function in vivo during the steady state: a role in peripheral tolerance *Ann N Y Acad Sci* **987**: 15-25.
- Stenger S., Donhauser N., Thuring H., Rollinghoff M. and Bogdan C. (1996) Reactivation of latent leishmaniasis by inhibition of inducible nitric oxide synthase *J Exp Med* **183**: 1501-14.
- Stephan S., Purcell W.M. and Chander C.L. (1999) Colony stimulating factors regulate nitric oxide and prostaglandin E2 production in rat cartilage chondrocytes *Int J Tissue React* **21**: 113-9.
- Stoitzner P., Zanella M., Ortner U., Lukas M., Tagwerker A., Janke K., Lutz M.B., Schuler G., Echtenacher B., Ryffel B., Koch F. and Romani N. (1999) Migration of langerhans cells and dermal dendritic cells in skin organ cultures: augmentation by TNF-alpha and IL-1beta *J Leukoc Biol* **66**: 462-70.
- Stoitzner P., Holzmann S., McLellan A.D., Ivarsson L., Stossel H., Kapp M., Kammerer U., Douillard P., Kampgen E., Koch F., Saeland S. and Romani N. (2003) Visualization and characterization of migratory Langerhans cells in murine skin and lymph nodes by antibodies against Langerin/CD207 *J Invest Dermatol* **120**: 266-74.
- Takaoka A., Tanaka N., Mitani Y., Miyazaki T., Fujii H., Sato M., Kovarik P., Decker T., Schlessinger J. and Taniguchi T. (1999) Protein tyrosine kinase Pyk2 mediates the Jak-dependent activation of MAPK and Stat1 in IFN-gamma, but not IFN-alpha, signaling *Embo J* **18**: 2480-8.
- Takashima A., Mummert M., Kitajima T. and Matsue H. (2000) New technologies to prevent and treat contact hypersensitivity responses *Ann N Y Acad Sci* **919**: 205-13.

- Takauji R., Iho S., Takatsuka H., Yamamoto S., Takahashi T., Kitagawa H., Iwasaki H., Iida R., Yokochi T. and Matsuki T. (2002) CpG-DNA-induced IFN- α production involves p38 MAPK-dependent STAT1 phosphorylation in human plasmacytoid dendritic cell precursors *J Leukoc Biol* **72**: 1011-9.
- Tan C., Mui A. and Dedhar S. (2002) Integrin-linked kinase regulates inducible nitric oxide synthase and cyclooxygenase-2 expression in an NF- κ B-dependent manner *J Biol Chem* **277**: 3109-16.
- Tanaka H., Demeure C.E., Rubio M., Delespesse G. and Sarfati M. (2000) Human monocyte-derived dendritic cells induce naive T cell differentiation into T helper cell type 2 (Th2) or Th1/Th2 effectors. Role of stimulator/responder ratio *J Exp Med* **192**: 405-12.
- Taylor B.S., de Vera M.E., Ganster R.W., Wang Q., Shapiro R.A., Morris S.M., Jr., Billiar T.R. and Geller D.A. (1998) Multiple NF- κ B enhancer elements regulate cytokine induction of the human inducible nitric oxide synthase gene *J Biol Chem* **273**: 15148-56.
- Taylor B.S. and Geller D.A. (2000) Molecular regulation of the human inducible nitric oxide synthase (iNOS) gene *Shock* **13**: 413-24.
- Thornton F.J., Schaffer M.R., Witte M.B., Moldawer L.L., MacKay S.L., Abouhamze A., Tannahill C.L. and Barbul A. (1998) Enhanced collagen accumulation following direct transfection of the inducible nitric oxide synthase gene in cutaneous wounds *Biochem Biophys Res Commun* **246**: 654-9.
- Traver D., Akashi K., Manz M., Merad M., Miyamoto T., Engleman E.G. and Weissman I.L. (2000) Development of CD8 α -positive dendritic cells from a common myeloid progenitor *Science* **290**: 2152-4.
- Tuschi H. and Kovac R. (2001) Langerhans cells and immature dendritic cells as model systems for screening of skin sensitizers *Toxicol In Vitro* **15**: 327-31.
- Uchi H., Arrighi J.F., Aubry J.P., Furue M. and Hauser C. (2002) The sesquiterpene lactone parthenolide inhibits LPS- but not TNF- α -induced maturation of human monocyte-derived dendritic cells by inhibition of the p38 mitogen-activated protein kinase pathway *J Allergy Clin Immunol* **110**: 269-76.
- Vadiveloo P.K., Vairo G., Hertzog P., Kola I. and Hamilton J.A. (2000) Role of type I interferons during macrophage activation by lipopolysaccharide *Cytokine* **12**: 1639-46.
- Valk E., Zahn S., Knop J. and Becker D. (2002) JAK/STAT pathways are not involved in the direct activation of antigen-presenting cells by contact sensitizers *Arch Dermatol Res* **294**: 163-7.
- Valladeau J., Ravel O., Dezutter-Dambuyant C., Moore K., Kleijmeer M., Liu Y., Duvert-Frances V., Vincent C., Schmitt D., Davoust J., Caux C., Lebecque S. and Saeland S. (2000) Langerin, a novel C-type lectin specific to Langerhans cells, is an endocytic receptor that induces the formation of Birbeck granules *Immunity* **12**: 71-81.

- Valladeau J., Clair-Moninot V., Dezutter-Dambuyant C., Pin J.J., Kissenpfennig A., Mattei M.G., Ait-Yahia S., Bates E.E., Malissen B., Koch F., Fossiez F., Romani N., Lebecque S. and Saeland S. (2002) Identification of mouse langerin/CD207 in Langerhans cells and some dendritic cells of lymphoid tissues *J Immunol* **168**: 782-92.
- Van Die I., Van Vliet S.J., Nyame A.K., Cummings R.D., Bank C.M., Appelmelk B., Geijtenbeek T.B. and Van Kooyk Y. (2003) The dendritic cell-specific C-type lectin DC-SIGN is a receptor for *Schistosoma mansoni* egg antigens and recognizes the glycan antigen Lewis x *Glycobiology* **13**: 471-8.
- van Kooyk Y. and Geijtenbeek T.B. (2002) A novel adhesion pathway that regulates dendritic cell trafficking and T cell interactions *Immunol Rev* **186**: 47-56.
- Verhasselt V., Buelens C., Willems F., De Groote D., Haeffner-Cavaillon N. and Goldman M. (1997) Bacterial lipopolysaccharide stimulates the production of cytokines and the expression of costimulatory molecules by human peripheral blood dendritic cells: evidence for a soluble CD14-dependent pathway *J Immunol* **158**: 2919-25.
- Verhasselt V., Vanden Berghe W., Vanderheyde N., Willems F., Haegeman G. and Goldman M. (1999) N-acetyl-L-cysteine inhibits primary human T cell responses at the dendritic cell level: association with NF-kappaB inhibition *J Immunol* **162**: 2569-74.
- Vieira P.L., de Jong E.C., Wierenga E.A., Kapsenberg M.L. and Kalinski P. (2000) Development of Th1-inducing capacity in myeloid dendritic cells requires environmental instruction *J Immunol* **164**: 4507-12.
- Visintin A., Mazzoni A., Spitzer J.H., Wyllie D.H., Dower S.K. and Segal D.M. (2001) Regulation of Toll-like receptors in human monocytes and dendritic cells *J Immunol* **166**: 249-55.
- Wallengren J. and Larsson B. (2001) Nitric oxide participates in prick test and irritant patch test reactions in human skin *Arch Dermatol Res* **293**: 121-5.
- Walunas T.L. and Bluestone J.A. (1998) CTLA-4 regulates tolerance induction and T cell differentiation in vivo *J Immunol* **160**: 3855-60.
- Wang D. and Baldwin A.S., Jr. (1998) Activation of nuclear factor-kappaB-dependent transcription by tumor necrosis factor-alpha is mediated through phosphorylation of RelA/p65 on serine 529 *J Biol Chem* **273**: 29411-6.
- Wang P.Y., Kitchens R.L. and Munford R.S. (1998) Phosphatidylinositides bind to plasma membrane CD14 and can prevent monocyte activation by bacterial lipopolysaccharide *J Biol Chem* **273**: 24309-13.
- Wang B., Fujisawa H., Zhuang L., Freed I., Howell B.G., Shahid S., Shivji G.M., Mak T.W. and Sauder D.N. (2000) CD4⁺ Th1 and CD8⁺ type 1 cytotoxic T cells both play a crucial role in the full development of contact hypersensitivity *J Immunol* **165**: 6783-90.

Bibliografia

- Wang B., Feliciani C., Freed I., Cai Q. and Sauder D.N. (2001) Insights into molecular mechanisms of contact hypersensitivity gained from gene knockout studies *J Leukoc Biol* **70**: 185-91.
- Watanabe S., Itoh T. and Arai K. (1996) Roles of JAK kinases in human GM-CSF receptor signal transduction *J Allergy Clin Immunol* **98**: S183-91.
- Watters J.J., Sommer J.A., Pfeiffer Z.A., Prabhu U., Guerra A.N. and Bertics P.J. (2002) A differential role for the mitogen-activated protein kinases in lipopolysaccharide signaling: the MEK/ERK pathway is not essential for nitric oxide and interleukin 1beta production *J Biol Chem* **277**: 9077-87.
- Watts C. (1999) Dendritic cells spill the beans *Nat Cell Biol* **1**: E152-4.
- Weisz A., Cicatiello L. and Esumi H. (1996) Regulation of the mouse inducible-type nitric oxide synthase gene promoter by interferon-gamma, bacterial lipopolysaccharide and NG-monomethyl-L-arginine *Biochem J* **316** (Pt 1): 209-15.
- Welte T., Koch F., Schuler G., Lechner J., Doppler W. and Heufler C. (1997) Granulocyte-macrophage colony-stimulating factor induces a unique set of STAT factors in murine dendritic cells *Eur J Immunol* **27**: 2737-40.
- Witmer-Pack M.D., Olivier W., Valinsky J., Schuler G. and Steinman R.M. (1987) Granulocyte/macrophage colony-stimulating factor is essential for the viability and function of cultured murine epidermal Langerhans cells *J Exp Med* **166**: 1484-98.
- Witte M.B. and Barbul A. (2002) Role of nitric oxide in wound repair *Am J Surg* **183**: 406-12.
- Woltman A.M., van der Kooij S.W., Coffey P.J., Ofringa R., Daha M.R. and van Kooten C. (2003) Rapamycin specifically interferes with GM-CSF signaling in human dendritic cells, leading to apoptosis via increased p27KIP1 expression *Blood* **101**: 1439-45.
- Woodcock J.M., Bagley C.J., Zacharakis B. and Lopez A.F. (1996) A single tyrosine residue in the membrane-proximal domain of the granulocyte-macrophage colony-stimulating factor, interleukin (IL)-3, and IL-5 receptor common beta-chain is necessary and sufficient for high affinity binding and signaling by all three ligands *J Biol Chem* **271**: 25999-6006.
- Wright S.D., Ramos R.A., Tobias P.S., Ulevitch R.J. and Mathison J.C. (1990) CD14, a receptor for complexes of lipopolysaccharide (LPS) and LPS binding protein *Science* **249**: 1431-3.
- Xie Q.W., Kashiwabara Y. and Nathan C. (1994) Role of transcription factor NF-kappa B/Rel in induction of nitric oxide synthase *J Biol Chem* **269**: 4705-8.
- Xu L., Huang Y., Yang J., Van Der Meide P.H., Levi M., Wahren B., Link H. and Xiao B. (1999) Dendritic cell-derived nitric oxide is involved in IL-4-induced suppression of experimental allergic encephalomyelitis (EAE) in Lewis rats *Clin Exp Immunol* **118**: 115-21.

- Yamamoto H., Hanada K. and Nishijima M. (1997) Involvement of diacylglycerol production in activation of nuclear factor kappaB by a CD14-mediated lipopolysaccharide stimulus *Biochem J* **325** (Pt 1): 223-8.
- Yamamoto K., Akbar S.M., Masumoto T. and Onji M. (1998) Increased nitric oxide (NO) production by antigen-presenting dendritic cells is responsible for low allogeneic mixed leucocyte reaction (MLR) in primary biliary cirrhosis (PBC) *Clin Exp Immunol* **114**: 94-101.
- Yamamoto, Y. and Gaynor, R. B. (2001) Therapeutic potential of inhibition of the NF-kappaB pathway in the treatment of inflammation and cancer *J Clin Invest* **107**: 135-42.
- Yamamoto M., Sato S., Hemmi H., Sanjo H., Uematsu S., Kaisho T., Hoshino K., Takeuchi O., Kobayashi M., Fujita T., Takeda K. and Akira S. (2002 a) Essential role for TIRAP in activation of the signalling cascade shared by TLR2 and TLR4 *Nature* **420**: 324-9.
- Yamamoto M., Sato S., Mori K., Hoshino K., Takeuchi O., Takeda K. and Akira S. (2002 b) Cutting edge: a novel Toll/IL-1 receptor domain-containing adapter that preferentially activates the IFN-beta promoter in the Toll-like receptor signaling *J Immunol* **169**: 6668-72.
- Yamaoka K., Otsuka T., Niino H., Arinobu Y., Niho Y., Hamasaki N. and Izuhara K. (1998) Activation of STAT5 by lipopolysaccharide through granulocyte-macrophage colony-stimulating factor production in human monocytes *J Immunol* **160**: 838-45.
- Yang H., Young D.W., Gusovsky F. and Chow J.C. (2000) Cellular events mediated by lipopolysaccharide-stimulated toll-like receptor 4. MD-2 is required for activation of mitogen-activated protein kinases and Elk-1 *J Biol Chem* **275**: 20861-6.
- Yang J., Fan G.H., Wadzinski B.E., Sakurai H. and Richmond A. (2001) Protein phosphatase 2A interacts with and directly dephosphorylates RelA *J Biol Chem* **276**: 47828-33.
- Yang T., Witham T.F., Villa L., Erff M., Attanucci J., Watkins S., Kondziolka D., Okada H., Pollack I.F. and Chambers W.H. (2002) Glioma-associated hyaluronan induces apoptosis in dendritic cells via inducible nitric oxide synthase: implications for the use of dendritic cells for therapy of gliomas *Cancer Res* **62**: 2583-91.
- Yokozeki H., Takayama K., Ohki O., Satoh T., Umeda T., Katayama I. and Nishioka K. (1998) Comparative analysis of CD80 and CD86 on human Langerhans cells: expression and function *Arch Dermatol Res* **290**: 547-52.
- Yokozeki H., Ghoreishi M., Takagawa S., Takayama K., Satoh T., Katayama I., Takeda K., Akira S. and Nishioka K. (2000) Signal transducer and activator of transcription 6 is essential in the induction of contact hypersensitivity *J Exp Med* **191**: 995-1004.
- Yoshimura S., Bondeson J., Brennan F.M., Foxwell B.M. and Feldmann M. (2001) Role of NFkappaB in antigen presentation and development of regulatory T cells elucidated by treatment of dendritic cells with the proteasome inhibitor PSI *Eur J Immunol* **31**: 1883-93.

- Yoshinaga S.K., Whoriskey J.S., Khare S.D., Sarmiento U., Guo J., Horan T., Shih G., Zhang M., Coccia M.A., Kohno T., Tafuri-Bladt A., Brankow D., Campbell P., Chang D., Chiu L., Dai T., Duncan G., Elliott G.S., Hui A., McCabe S.M., Scully S., Shahinian A., Shaklee C.L., Van G., Mak T.W. and et al. (1999) T-cell co-stimulation through B7RP-1 and ICOS *Nature* **402**: 827-32.
- Young J.W., Szabolcs P. and Moore M.A. (1995) Identification of dendritic cell colony-forming units among normal human CD34⁺ bone marrow progenitors that are expanded by c-kit-ligand and yield pure dendritic cell colonies in the presence of granulocyte/macrophage colony-stimulating factor and tumor necrosis factor alpha *J Exp Med* **182**: 1111-9.
- Yu B. and Wright S.D. (1996) Catalytic properties of lipopolysaccharide (LPS) binding protein. Transfer of LPS to soluble CD14 *J Biol Chem* **271**: 4100-5.
- Yu Z., Zhang W. and Kone B. C. (2002) Signal transducers and activators of transcription 3 (STAT3) inhibits transcription of the inducible nitric oxide synthase gene by interacting with nuclear factor kappaB *Biochem J* **367**: 97-105.
- Zaks-Zilberman M., Zaks T.Z. and Vogel S.N. (2001) Induction of proinflammatory and chemokine genes by lipopolysaccharide and paclitaxel (Taxol) in murine and human breast cancer cell lines *Cytokine* **15**: 156-65.
- Zhang M.Y., Sun S.C., Bell L. and Miller B.A. (1998) NF-kappaB transcription factors are involved in normal erythropoiesis *Blood* **91**: 4136-44.
- Zhao Y., Wagner F., Frank S.J. and Kraft A.S. (1995) The amino-terminal portion of the JAK2 protein kinase is necessary for binding and phosphorylation of the granulocyte-macrophage colony-stimulating factor receptor beta c chain *J Biol Chem* **270**: 13814-8.
- Zhong H., SuYang H., Erdjument-Bromage H., Tempst P. and Ghosh S. (1997) The transcriptional activity of NF-kappaB is regulated by the IkappaB-associated PKAc subunit through a cyclic AMP-independent mechanism *Cell* **89**: 413-24.
- Zhou J., Struthers A.D. and Lyles G.A. (1999) Differential effects of some cell signalling inhibitors upon nitric oxide synthase expression and nuclear factor-kappaB activation induced by lipopolysaccharide in rat aortic smooth muscle cells *Pharmacol Res* **39**: 363-73.
- Zu Y.L., Qi J., Gilchrist A., Fernandez G.A., Vazquez-Abad D., Kreutzer D.L., Huang C.K. and Sha'afi R.I. (1998) p38 mitogen-activated protein kinase activation is required for human neutrophil function triggered by TNF-alpha or FMLP stimulation *J Immunol* **160**: 1982-9.